


National Strategic Plan on Adolescent and Youth Health (2018–2025)



World Health
Organization



**National Strategic Plan on
Adolescent and Youth Health
(2018–2025)**



**World Health
Organization**



ISBN: 978-955-1503-62-8



Sri Lanka with its strong foundation of curative and preventive healthcare delivery systems is taking all the efforts to achieve universal access to quality healthcare. However, despite all efforts to improve health status of the population, addressing adolescent and youth health issues remains a challenge.

To ensure that adolescents and youth flourish on the road to adulthood, what is needed is an integrated set of policies, strategies and programs that address the needs of the adolescent and youth in a holistic manner and paying close attention to the context in which young people live. This means that no one sector or organization can do what is needed to support young people on their own. Only by working together across sectors in collaboration with young leaders, we can pave a successful pathway to adulthood and remove obstacles to their progress.

In early 2016, the Family Health Bureau initiated the development of the strategic plan on adolescent and youth health for 2018 -2025 with the collaboration of young person, professional groups and departments within and outside the Ministry of Health. It was based on assessment of the implementation of the existing strategic plan on adolescent health 2013-2017. Adolescent and Youth Health Unit and the School Health unit coordinated the development of the strategic plan on adolescent and youth health (2018-2025). Technical Advisory Committee on Young Persons' Health and National Coordinating Committee on School Health provided guidance for this activity. Existing school health and adolescent health programmes were reviewed.

The strategic plan for adolescent and youth health (2018-2025) was prepared based on the Maternal and Child Health (MCH) Policy, Reproductive Health Policy, National Youth Policy, National Policy of Health of Young Persons, School Health Policy and the National Nutrition Policy.

This document recognizes the need for the service providers to maintain and strengthen relationships and identify opportunities for new partnerships and adhere to the principles of accessibility, youth participation, partnerships, professional development, evaluation, evidence-based approaches and sustainability of health services for adolescents and youth.

This strategic plan will provide guidance to provision of adolescent and youth friendly health services in both curative and preventive sectors ensuring optimum accessibility, acceptability and coverage. It is expected from all relevant stakeholders to utilize this document to ensure optimum service provision for adolescents and youth of the country.

Dr. Anil Jasinghe
Director General of Health Services
Ministry of Health, Nutrition & Indigenous Medicine
Sri Lanka

Dr. Nethanjalie Mapitigama
Director Maternal & Child Health
Family Health Bureau
Ministry of Health
Sri Lanka



Acknowledgement

Strategic plan on adolescent and youth health for 2018 -2025 is the second national strategic plan on adolescent and youth health. This strategic plan was developed with the collaboration of young person, professional groups and departments within and outside the Ministry of Health.

We are very much thankful to the guidance and unstinting support given by, Director General of Health Services, Dr. Anil Jasinghe and the former Director Generals of Health Services Dr. P.G. Mahipala, Dr. J.M.W. Jayasundara Bandara, throughout the process. The leadership and support of Dr. Lakshman Gamlath DDG PHS II is greatly appreciated. We acknowledge the guidance provided by Dr. R.R.M.L.R. Siyambalagoda former Additional Secretary Medical Services/Deputy Director General, Public Health Services II and, Dr. B.V.S.H. Benaragama Deputy Director General, Laboratory Services. Guidance provided by Dr. Mrs. H.S.R. Perera, Director Organization and Development is very much appreciated. Further contribution from Directorates of Health Promotion Bureau, Mental Health, Nutrition, Nutrition Coordination Division, Non-Communicable Disease, National Cancer Control Programme is very much appreciated.

The process of adolescent health strategy formulation was technically supported by the WHO and financial support was provided through the Government funds and WHO. We express a big thank you to adolescents and youth who worked closely with us from initial need assessment to the development of strategies. We would like to acknowledge the dedicated and tireless work of all those involved, especially the experts from other public health programs, provincial, district and divisional level public health officers and academia. The Sri Lanka Colleges of Community Physicians, Obstetrics & Gynecologists, Pediatrician, and Ceylon College of Physicians made valuable contributions in preparing this document. Special thanks to Dr. C. de Silva, Director, Mental Health and Dr. Nilmini Hemachandra for the valuable technical inputs provided in development of strategies. Technical contributions made by the Director Maternal and Child Health and all the consultants of the Family Health Bureau is very much appreciated. The support extended by the Ministries of Education, National Policies and Economic Affairs and Ministry of Vocational Training and Skills Development, Ministry of Social Empowerment, Welfare and Kandyan Heritage, Ministry of Women and Child Affairs is highly commendable. The contributions made by the developmental partners specially WHO, UNFPA and UNICEF and non-governmental organizations are also acknowledged. All the efforts taken by the staff of adolescent and youth health unit and school health unit are very much appreciated.

We hope this strategic plan will provide direction to manage and guide the specific areas pertaining to adolescent and youth health.

Dr. Chiranthika Vithana
Consultant Community Physician
NPM/Adolescent and Youth Health
Family Health Bureau
Ministry of Health

Dr. Ayesha Lokubalasooriya
Consultant Community Physician
NPM/ School Health Programme
Family Health Bureau
Ministry of Health



Contributors for the Development of Strategic Plan on Adolescent and Youth Health 2018–2025

Strategy Development Team

1. Dr. Chiranthika Vithana
Consultant Community Physician, Adolescent and Youth Health Unit, FHB
2. Dr. Ayesha Lokubalasooriya
Consultant Community Physician, School Health Unit, FHB
3. Dr. Nilmini Hemachandra
National Professional Officer (RMNCAH & Nutrition), World Health Organization

Members of the Working Committees to Develop the Strategic Plan

Ministry of Health

1. Dr. Nethanjalee Mapitigama
Director, Maternal and Child Health, Family Health Bureau (FHB)
2. Dr. Chithramalee de Silva
Director, Mental Health Unit
3. Dr. Priyani Senadheera
Former Director Maternal and Child Health, FHB
4. Dr. Sapumal Danapala
Former Director, Maternal and Child Health, FHB
5. Dr. R.D.F.C. Kanthi
Former Director, Health Education Bureau
6. Dr. V.T.S.K. Siriwardhena
Director, Non-Communicable Diseases(NCD)
7. Dr. Ayesha Lokubalasooriya
Consultant Community Physician, School Health Unit, FHB
8. Dr. Chiranthika Vithana
Consultant Community Physician, Adolescent and Youth Health Unit, FHB
9. Dr. Sanjeewa Godakandage
Consultant Community Physician, Family Planning Unit, FHB
10. Dr. Dammica Rowel
Consultant Community Physician, FHB
11. Dr. Janaki Vidhanapathirana
Consultant Community Physician, National STD/AIDS Control Programme
12. Dr. Dileep De Silva
Consultant in Community Dentistry, FHB




13. Dr. Anoma Basnayaka
Consultant Community Physician, Nutrition Division
14. Dr. Irosha Nilaweera
Consultant Community Physician, Maternal Care Unit, FHB
15. Dr. Kaushalya Kasturiaratchi
Monitoring and Evaluation Unit, FHB
16. Dr. Manjula Danansuriya
Consultant Community Physician
17. Dr. Indrani Malwanna
Consultant Community Physician, National Institute of Health Sciences (NIHS)
18. Dr. Monika Wijerathne
Consultant Community Physician, Western Province
19. Dr. Buddhi Lokukatagoda
Consultant Community Physician
20. Dr. Nethmini Thenuwara
Consultant Community Physician, Planning Unit, FHB
21. Dr. Ruwan de Silva
Consultant Obstetrician and Gynaecologist, FHB
22. Dr. Nayana de Alwis
Consultant Community Physician, National Cancer Control Programme
23. Dr. Suraj Perera
Consultant Community Physician, National Cancer Control Programme
24. Dr. Samitha Sirithunga
Consultant Community Physician, NCD
25. Dr. Yamuna Ellawala
Consultant Community Physician, Mental Health Unit
26. Dr. Asanthi Fernando
Consultant Community Physician, Health Promotion Bureau
27. Dr. M. Sepali Wickramathilaka
Consultant Community Physician, Central Province
28. Dr. Prasanna Jayasekara
Consultant in Community Dentistry, National Cancer Control Programme
29. Dr. Chintha Jayasinghe
Consultant Community Physician, RDHS office, Gampaha
30. Dr. Udena Attygalle
Consultant Child and Adolescent Psychiatrist, Teaching Hospital Karapitiya
31. Dr. U. Usgodarachchi
Consultant in Community Dentistry



32. Dr. T.K. Kalubovila
Medical Superintendent, Base Hospital Horana
33. Dr. W.A.N.D. Wickramasinghe
Senior Registrar, Community Medicine, School Health Unit, FHB
34. Dr. Sameera Senanayaka
Registrar, Community Medicine, School Health Unit, FHB
35. Dr. N.A.A.S. Thilakarathna
Medical Officer, FHB
36. Dr. Chamanthi Jayasundara
Medical Officer, Adolescent and Youth Health Unit, FHB
37. Dr. Jacintha Barnasuriya
Medical Officer, Adolescent and Youth Health Unit, FHB
38. Dr. A.S. Suranutha,
Registrar in Community Medicine, School Health Unit, FHB
39. Dr. Dilini Mataraarachchi
Registrar in Community Medicine, Adolescent and Youth Health Unit, FHB
40. Dr. A.F.F. Fazla
Registrar in Community Medicine, FHB
41. Dr. H. Wijayatilaka
Registrar in Community Medicine, FHB
42. Dr. Hemali Jayakody
Registrar in Community Medicine, FHB
43. Dr. Ganeshamoorthy Pragasan
Registrar in Community Medicine, FHB
44. Dr. H. Jayasekara
Registrar in Community Medicine, NCD Unit
45. Dr. K.L.K. Mahagamage
Medical Officer, School Health Unit, FHB
46. Dr. Kumudu Nanayakkara
Medical Officer, School Health Unit, FHB
47. Dr. Samantha Nupehewa
Medical Officer, Adolescent and Youth Health Unit, FHB
48. Dr. Priyani Karunarathne
Medical Officer of Maternal and Child Health, RDHS Office, Kalutara
49. Dr. Badrica Gunawardana
Medical Officer of Maternal and Child Health, RDHS Office, Colombo
50. Dr. I.E. Pethiyagoda
Medical Officer of Maternal and Child Health RDHS Office, Gampaha



51. Dr. Shiromali Renuka
Medical Officer, Non-communicable diseases, Panadura
52. Dr. H.D.M. Hemapriya
Medical Officer, AYFHS Centre, Colombo North Teaching Hospital
53. Dr. Jinadari Adikari
Medical Officer, AYFHS Centre, Teaching Hospital Kandy
54. Dr. Heshani Karunathilaka
Medical Officer, AYFHS Centre, Base Hospital Panadura
55. Dr. C.P Walikatiya
Medical Officer, AYFHS Centre, Teaching Hospita, Kurunegalla
56. Dr. Chanadani Denawaka
Medical Officer of Health, Battaramulla
57. Dr. P.M.G. Gunasekara
Additional Medical Officer of Health, Maharagama
58. Ms. K.M.C.D. Karunarathne
Regional Special Grade Public Health Nursing Officer, Gampaha
59. Mrs. B.M.N.D.Batugedara
PHNS, Adolescent and Youth Health Unit, FHB
60. Ms. A.D.L. Kumararathna
PHNS, FHB
61. Mrs. Ishani Bandara
PHNS, Adolescent and Youth Health Unit, FHB
62. Ms. K.P.C.S. De Silva
PHNS, FHB
63. Mr. I. Liyanage
Retired SPHI, FHB
64. Ms. R.M.D.A, Rasnayake
Nursing Officer, Kurunagalla
65. Mr. R.P.Nuwan Sameera
PHI, FHB
66. Miss Darshani Wijerathne
Development Assistant, FHB
67. Mr. Anil Karunathilaka
Development Assistant, FHB



Other Ministries

1. Mr. Dinesha Vidanagamachchi
Ministry of National Policies and Economic Affairs
2. Mr. M. Ramamoorthy
Director, MSE & W, Ministry of Social Empowerment and Welfare
3. Ms. Renuka Peiris
Director Education-Health & Nutrition, Ministry of Education

Professional Colleges

1. Dr. Gamini Perera
Former President, Sri Lanka College of Obstetrician and Gynaecologist
2. Dr. Ramya de Silva
Former President, Sri Lanka College of Paediatricians
3. Dr. A. Basnayaka
Sri Lanka College of Consultant Community Physicians
4. Dr. Ramya Pathiraja
Sri Lanka College of Obstetrician and Gynaecologist
5. Dr. Ruwanthi Perera
Consultant Paediatrician, Sri Lanka College of Paediatricians
6. Dr. Surantha Perera
Consultant Paediatrician, Sri Lanka College of Paediatricians
7. Dr. Ajantha Liyanage
Consultant Physician, Ceylon College of Physicians

UN Organizations

1. Dr. Nilmini Hemachandra
National Professional Officer (RMNCAH & Nutrition), World Health Organization
2. Dr. Virginie Mallawaarachchi
National Professional Officer (NCD) WHO
3. Ms. Madusha Dissanayake
Assistant Representative, UNFPA
4. Mr. Jayan Abeywickrama
UNFPA
5. Ms. Sarah Soysa
National Programme Analyst (SRH and Rights), UNFPA

Other Organizations

1. Dr. Vinya Ariyaratne
General Secretary, Lanka Jathika Sarvodaya Shramadana Sangamaya,
2. Dr. H. Yakandawala
Medical Director, Family Planning association of Sri Lanka



Adolescents & Youth

1. Miss. M. Sneha
2. Miss. Kithmee De Silva
3. Mr. Rahul Prasan
4. Mr. G. Paranamana
5. Mr. H.M.B. L. Handagiri
6. Mr. V. Wijemanne
7. Miss. S.B.M. Karunathilake
8. Miss. D. Abeygunawardana
9. Miss. V.R. Paranamana
10. Miss. W.H. Withana
11. Miss. S.U.N. Karunathilake
12. Miss. R. D. De Silva
13. Mr. K. Jayasinghe
14. Mr. C.L. Jayasinghe
15. Mr. L.R. Mahagedara
16. Mr. A.L. Jayasinghe
17. Mr. S.V. Mahagedara

Alcohol and Drug Information Center (ADIC)

1. Mr. Pubudu Sumanasekara
Executive Director
2. Mr. Sampath de Seram
Director Human Development and Administration
3. Mr. Amaranath Tenna
Senior Programme officer in Social Mobilization, Strategic Intervention and School Programme

Drafted and edited by

1. Dr. Chiranthika Vithana
Consultant Community Physician, Adolescent and Youth Health Unit, FHB
2. Dr. Ayesha Lokubalasooriya
Consultant Community Physician, School Health Unit, FHB

Compiled by

1. Dr. Chiranthika Vithana
Consultant Community Physician, Adolescent and Youth Health Unit, FHB
2. Dr. Chamanthi Jayasundara
Medical Officer, Adolescent and Youth Health Unit, FHB



List of Abbreviations

AA-HA!	Accelerated Action for the Health of Adolescents
ADIC	Alcohol and Drug Information Centre
AYFHS	Adolescent and Youth Friendly Health Service
AIDS	Acquired Immuno Deficiency Syndrome
AMOH	Additional Medical Officer of Health
BMI	Body Mass Index
CCP	Ceylon College of Physicians
CEDAW	Convention on the Elimination of All Forms of Discrimination against Women
CRC	Child Right Convention
DGHS	Director General of Health Services
DDG	Deputy Director Generals
DDGPHS	Deputy Director General Public Health Services
DALYs	Disability-Adjusted Life Years
DHS	Demographic Health Survey
e IMMR	e-Indoor Morbidity and Mortality Register
FGM	Female Genital Mutilation
FHB	Family Health Bureau
EOH & FS	Environment Occupational Health and Food Safety
GSHS	Global School Health Survey
GYTS	Global Youth Tobacco Survey
GS	Global Strategy for Women's, Children's and Adolescents' Health (2016–2030)
HD	Hospital Director
HPB	Health Promotion Bureau
HIV	Human Immunodeficiency Virus
RHMIS	Reproductive Health Management Information System
MCH	Maternal and Child Health
MHU	Mental Health Unit
MIS	Management Information System
MOH	Medical Officer of health
MoH	Ministry of Health
MOMCH	Medical Officer, Maternal and Child Health
MDG	Millennium Development Goals
MRI	Medical Research Institute
NGO	Non-Governmental Organizations
NCD	Non-Communicable Diseases



NCoD	Nutrition Coordination Division
ND	Nutrition Division
NOHS	National Oral Health Survey
NSACP	National STD/AIDS Control Programme
NYHS	National Youth Health Survey
PC	Professional Colleges
PDHS	Provincial Director of Health Services
PHI	Public Health Inspector
PHNS	Public Health Nursing Sister
PHM	Public Health Midwife
RDHS	Regional Director of Health Services
SMI	School Medical Inspection
CCPSL	College of Community Physicians of Sri Lanka
SLCPSY	Sri Lanka College of Psychiatrists
SLCOG	Sri Lanka College of Obstetricians & Gynaecologists
SLCS	Sri Lanka College of Surgeons
SPHI	Supervisory Public Health Inspector
SPHM	Supervisory Public Health Midwife
STI	Sexually Transmitted Infection
SDGs	Sustainable Development Goals
UN	United Nations
WIFS	Weekly Iron Folate Supplementation
WHO	World Health Organization
UNFPA	United Nations Population Fund
UNICEF	United Nations Children's Fund



Table of Content

01.	Executive summary	12
02.	Background	15
03.	Policy guidance for strategic plan for adolescent and youth health (2018-2025)	32
04.	Rationale and the development of the strategic plan for adolescent and youth health 2018-2025	33
05.	Guiding principles	36
06.	Vision	36
07.	Goals	36
08.	Programme objectives	41
09.	Strategic directions	44
	I. Ensure leadership, governance, financing and accountability for adolescent and youth health	44
	II. Strengthen positive development of adolescent and youth	47
	III. Strengthen health system to cater for adolescent and youth health	49
	IV. Promote psychosocial well-being of adolescents and youth	52
	V. Ensure optimal level of nutrition, physical activity, hygiene and sanitation	56
	VI. Ensure access to sexual and reproductive health (SRH) education and services	59
	VII. Prevent adolescents and youth from substance abuse	62
	VIII. Prevent accidents, injuries and violence among adolescents and youth	65
	IX. Enhance community involvement to improve health of adolescents and youth	68
	X. Enhance service provision in humanitarian and fragile settings	70
	XI. Strengthen capacity , partnership and networking among all stakeholders	73
	XII. Strengthen research, monitoring and evaluation	74
10.	Way forward	76
11.	Bibliography	80
12.	Annexes	83
	I. Propose activities and indicators	83
	II. Major activities with time frame	102
	III. Members of the Technical Advisory Committee on Young Persons' Health	138



Executive Summary

Five million, nearly one fourth of the Sri Lankan population are adolescents and youth of 10-24-year age group. Adolescents, 10-19 year group, accounts for 16% of the population. Out of adolescents, 71% school going and 29% non-school going. Youth identified as 15-24 year group consists of 16% of the population¹.

First national strategic plan on adolescent health provided necessary guidance for implementation of adolescent health programme throughout the country for the period of 2013-2017². Second national strategic plan on adolescent and youth health (2018-2025) is developed as an aid for implementing the Sustainable Development Goals (SDGs) related to adolescents and youth within the country. In order to achieve global economic, social and environmental sustainable development by 2030, investing on adolescent and youth health and well-being is recognized as a very important investment. Programming for adolescent and youth health in the health sector in collaboration with other sectors and meeting adolescents' and youths' needs in all aspects is intended through new strategic plan on adolescent and youth health (2018-2025).

The Global Strategy for Women's, Children's and Adolescents' Health (2016–2030) was launched in 2015³. It highlights the need for strengthening adolescent health to respond more effectively to adolescents' needs. The Global Strategy with its vision of a world in which every woman, child and adolescent realizes their rights to physical and mental health, identifies adolescent period as the fundamental phase for achieving the SDGs. To ensure implementation of its specific goals related to adolescent health on request from Member States at the Sixty-eighth World Health Assembly in May 2015, UN partners, led by the World Health Organization (WHO), have developed accelerated action for the health of adolescents (AA-HA!)⁴. Present national strategic plan on adolescent and youth health (2018-2025) is developed based on the policy on young persons' health and school health policy of Sri Lanka incorporating interventions identified in global strategy and AAHA! framework adopted for Sri Lankan context.

In early 2016, the Family Health Bureau initiated the development of the national strategic plan on adolescent and youth health for 2018-2025. The National Programme Managers of Adolescent and Youth Health and School Health units are the coordinators for the development of the national strategic plan on adolescent and youth health (2018-2025). Technical Advisory Committee on Young Persons' Health and National Coordinating Committee on School Health provided guidance for this activity. Implementation of national strategic plan on adolescent health (2013-2017) through existing school health and adolescent health programmes were reviewed².



The national strategic plan for adolescent and youth health (2018-2025) is prepared based on the Maternal and Child Health (MCH) Policy, Reproductive Health Policy, National Youth Policy, National Policy of Health of Young persons, School Health Policy and the National Nutrition Policy.

National strategic plan on adolescent and youth health (2018-2025) is developed with the vision of “Country in which adolescents realize their full potential for growth and development in a conducive and resourceful physical and psychosocial environment to be healthy, safe and happy. It is guided through right-based approach, gender sensitivity, equity and non-discrimination, participation and empowerment of adolescents and youth, non-judgmental approach, respect and dignity of all beneficiaries, privacy and confidentiality, respect for law and order and policies, optimal service delivery to adolescents and youth with universal coverage through building and strengthening essential linkages and focus on accountability.

Goals are based on ending preventable deaths (survive), ensuring health and well-being (thrive) and expanding, enabling environments (transform). This document provides strategic directions under 12 key areas addressing emerging issues and challenges pertaining to health of the adolescents and youth mainly focusing on the Ministry of Health perspective. The existence of explicit strategies supports homogeneous, sustainable and quality health service to all adolescents and youth in Sri Lanka.



Background

Out of the total Sri Lankan population of 21.4 million, nearly one fourth (5 million) consists of young persons aged 10-24-years. Adolescents identified as 10-19-year age group, accounts for 16% of the population. Out of adolescents, 71% are school going and 29% are non-school going. Youth identified as 15-24 year group consists of 16% of the total population¹.

Adolescent and youth are considered as an apparently healthy group. Yet, it is a time period where they undergo rapid emotional, physical and intellectual transition from childhood to adolescence and to independent adulthood. Though, they get physical maturation by early 10-16 years, maturation of the brain continues up to mid-twenties. They like to experiment new things, yet they are unable to perceive the consequences. This nature of adolescent and youth accounts for premature deaths due to accidents, suicide, violence, pregnancy related complications and other illnesses that are either preventable or treatable. Healthy as well as unhealthy lifestyles established within this period will be continued throughout their life span. Effects of these will extend even beyond adulthood into the next generation. Unhealthy lifestyles such as tobacco and alcohol use, poor dietary habits and sedentary lifestyles, lead to premature morbidity and mortality later in life.

Definitions

Different terminologies are used for denoting certain age categories among adolescents and youth.

Table 1- Definitions used within 10-24-year group

Name	Definition
Adolescence	The period of life between 10-19 years of age
Early Adolescence	The period of life between 10-14 years of age
Mid Adolescence	The period of life between 15-17 years of age
Late Adolescence	The period of life between 18-19 years of age
Teenager	Person aged between 13-19 years
Youth	Person aged between 15-24 years



01 Current Situation

Adolescent and youth mortality

In spite of adolescents and youth appear to be apparently healthy, when considering latest compiled data of Registrar General's Department, there is an adolescent mortality of 45 per 100 000 population and youth mortality of 75 per 100 000 population in 2013¹.




Figure 1- Top five leading causes of deaths among adolescents and youth in 2013

Source - Registrar General's Department Data (Department of Census 2018)

Among 10-14, 15-19 and 20-24 year groups leading cause of death was external causes (Figure 1)

When it comes to the leading causes of hospital admissions, Injury, poisoning and other external causes were the cause accounting for highest number of hospital admissions in 2016 according to the e-Indoor morbidity and mortality register (IMMR)⁵.




Figure 2 - Top five leading causes of hospital admissions among adolescents and youth in 2016

Source - e Indoor Morbidity and Mortality Register (Ministry of Health 2018)

02

Sexual and reproductive health issues

According to the national youth health survey conducted in 2012/2013 among 8820 youth, around 30% reported to have engaged in some sexual activity within past one year. Almost half of the youth were not aware of even basic physiology and common sexual and reproductive health issues. Only 45% had ever heard of the emergency contraceptive pill⁶.



Adolescent fertility rate has remained static over the period of 1975-2016 with the figures of 31 and 30 per 1,000 women of 15-19 years respectively in 1975 and 2016 (Figure 3)^{1,7,8}. In the year 2017, 16708 teenage pregnancies were reported among women under 19 years⁸. National figure for teenage pregnancy rate was 4.6% in 2017 (Figure 4)⁹.




Figure 3 - Adolescent fertility rate over 1975-2016

Sources: Department of Census and Statistics 2016; World Fertility Survey (1975); Contraceptive Prevalence Survey (1982), Demographic Health Surveys (1987, 2000, 2006, 2016), Census (2012), DHS (2016)



Figure 4 -Trend of teenage pregnancies over 2007-2017

Source - RHMIS, Family Health Bureau 2018



03

Accidents, violence and unintentional trauma

According to morality data from Registrar General's Department and e-IMMR, leading cause of morbidity and mortality among 10-24 year age group is external causes^{1,4}. Incompletion of maturation of pre-frontal cortex of their brain until mid-twenties is the scientific basis of increased risk taking.



Global School Health Survey (GSHS) conducted in 2016 as a school-based survey using a two-stage cluster sample design among 3,262 of students in grades 8-13 showed that among 13-17 year age group, 43.8% of students engaged in a physical fight one or more times during the 12 months before the survey and 35.6% of students were seriously injured one or more times during the 12 months before the survey¹⁰.

According to the Registrar General's Department data 2013, intentional self-harm accounts for the majority of deaths due to external causes among both 15-19 and 20-24 year age groups (Figure 5). Transport accident was the second highest cause accounting for deaths due to external causes among these two age groups¹.




Figure 5 - External causes of deaths among adolescents and youth in 2013

Source - Department of Census and Statistics, 2018



04

Substance use

According to the national youth health survey, percentages of ever smoked and ever used alcohol, were at persistently high levels of 16% and 20%, respectively. Sixteen percent had tried other addictive substances⁶. The global youth tobacco survey (GYTS) conducted in some nationally representative sample of 1416 adolescents of 13-15 years school going children in Sri Lanka showed that current tobacco use within thirty days was 3.7%. Out of the study sample, 5.7% of students reported that they had smoked one or more cigarettes in their lifetime. When considering their personal lives, 15.3% of students reported that they had one or more parents who smoked, and 14.8% reported having close friends who smoked tobacco. When it comes to cessation, only 25.0% of current smokers reported that they had received help from a programme or a professional to stop smoking¹¹.



According to GSHS 2016, 15.6% of males and 3.0% of females among 13-17-year-old students currently used any tobacco products (used any tobacco products on at least 1 day during the 30 days before the survey). Out of the group, 42.3% reported that other people smoked in the presence of adolescents on one or more days during the 7 days before the survey¹⁰.

According to GSHS 2016, 5.5 % of males and 1% of females of 13-17 year old students currently consumed alcohol (at least one drink of alcohol during the 30 days before the survey). Further, 4.6 % of males and 0.8% of females in 13-17 year cohort had ever used marijuana one or more times during their lives¹⁰.

Psychosocial issues


Globally mental health problems were estimated to affect 10–20% of children and adolescents, accounting for 15–30% of Disability-Adjusted Life Years (DALYs) lost during the first three decades of life¹²



Violence among schooling adolescents has been identified as a global phenomenon which demonstrates a considerable cultural diversity. A descriptive cross-sectional study design carried out among schooling adolescents aged 13-15 years (n=1770) in government schools in district of Gampaha, revealed that involvement of adolescents in violence is through victimization, perpetration or both. The prevalence of being an overall victim for any violent activity at least once within preceding six month was 85.1%¹³.



The GSHS shows that a significant proportion of students among 13-17 year (39%) in Sri Lanka had reported being bullied on one or more days in the past 30 days. In general, boys (49%) were more likely to being bullied than girls (29%). Within the group, 6.8% had attempted suicide within the past 12 months and 6.5% had made plans about how they would attempt suicide. Percentage of students who seriously considered attempting suicide during the 12 months before the survey was 9.4%¹⁰. According to the national youth health survey, nearly 6.5% reported to have seriously considered attempting suicide and 4% had made plans on how they would attempt suicide⁶. Mortality among young person due to suicides was 10.9 per 100 000 in 2013 according to the Registrar General's Department data¹.



Nutrition

A nationally representative cross-sectional study conducted on 6,264 adolescents 10 to 15 years of age in 2002 showed that prevalence rates of underweight, stunting and overweight were 47.2%, 28.5%, and 2.2% respectively. Further to that, prevalence rates of anemia and vitamin A deficiency were 11.1% and 0.4% respectively. During the previous 6 months, 10.4% of the study group had usually not eaten breakfast before going to school. Preceding week of the interviews, 24.4% of the children had not consumed green leafy vegetables, 26.6% had not consumed fruits, 19.0% had not participated in physical activities, and 27.5% had watched television for more than 2 hours per day¹⁴.

National nutrition and micronutrient survey conducted in 2012 showed that among 405 adolescents of 10-18 years, 17.3% were stunted, 25.1% were thin, 4.6% were overweight and 1.4% obese¹⁵.

A cross-sectional study conducted among 7526 secondary school students from 72 secondary schools selected from the 25 districts of Sri Lanka in 2009-2010 showed that anaemia was present among 470 (6.2%) students and was more common in females (11.1%) than in males (5.6%). Median age of the study sample was 16.0 (IQR 15.0–17.0) years. Iron deficiency anaemia was found in 130 (4.6%) out of 2794 females and 28 (1.0%) out of 2789 males¹⁶. Comprehensive nutrition survey among 2570 of school going adolescents of 10-18 years conducted in 2017 by Medical Research Institute (MRI) shows that 8.5% were anemic (MRI 2018)¹⁷. Iron deficiency was seen among 22.1% and only 3.7% had anaemia due to iron deficiency. Vitamin A levels less than 20 µg/dL and iodine deficiency was not found as a public health issue¹⁷.

Further, in this survey conducted among 2570 of 10-18 year old school going adolescents, 26.9% were thin, 13.5% were stunted, 7.6% were overweight and 2.2% were obese¹⁷.

A declining trend of low Body Mass Index (BMI) from 42.2% to 24.3% in males and from 27.9% to 16.2% in females were observed in nutrition month data among year 10 students over 2007- 2017 (Figure 6).




Figure 6 - Low Body Mass Index among grade 10 students

Source - Nutrition month data




Figure 7 - Overweight and obesity among grade 10 students

Source - Nutrition month data



However, overweight and obesity of the same cohort of grade 10 students showed an increasing trend from 2.3% to 6.2% among males and 3.5% to 7.4% among females over 2007-2017 (Figure 7).

07



Unhealthy lifestyles

Global literature shows that many non-communicable diseases (NCD) are resulted from the behaviors that are established in adolescence, including unhealthy diet, sedentary lifestyle, harmful use of alcohol and tobacco use. This disproportionately affects poor vulnerable and less educated sections of our communities. NCD accounts for premature mortality. Diagnosing NCD among adolescents is at a rising trend. Evidence further emphasize the importance of introducing NCD prevention strategies from an early age. Establishing healthy eating habits, regular exercise and avoiding risk behaviours among adolescents have been identified as major interventions to overcome this challenge of devastating effects of NCDs among individuals, families, communities and health systems.

According to the GSHS 2016, only 28.5% of students were physically active at least for 60 minutes a day on five or more days during preceding week of the survey. Only 41.5% of students attended physical education classes on three or more days each week during this school year. However, 37.3% have spent three or more hours per day watching television, playing computer games, or talking with friends, when not in school or doing homework during a usual day¹⁰. According to the national youth health survey 2012-2013, nearly 50% of males and 75% of females had sedentary lifestyles⁶.

In GSHS 2016, percentage of students (13-17 years) who usually consumed carbonated soft drinks one or more times per day during the 30 days before the survey was 26.2%¹⁰. According to the national youth health survey 2012-2013, within preceding week, 44% of the study group reported to have consumed carbonated drinks and 20% had taken precooked food such as sausages and meatballs. Nearly 60% were equipped with mobile phones and 10% tried to use this facility to develop relationships with unknown people⁶.

08



Oral diseases

Oral diseases are a major concern among adolescents. According to the National Oral Health Survey (2015), 30.4% of 12 year olds and 41.5% of 15 year olds had dental caries¹⁸. Nearly 47% of 12 year olds and 49.3% of 15 year olds had dental calculi. Initiation of tobacco/alcohol use and emerging habits such as 'Babul' chewing with frequent consumption of sugar-rich, unhealthy junk-foods has lead to high burden of oral diseases among adolescents.



09

Legal framework pertaining to adolescents

Sri Lanka has ratified the Child Rights Convention (CRC) and the Convention of the Elimination of all forms of Discrimination against Women (CEDAW). These international treaties created commitments and harmonize with many provisions set out in the constitution of Sri Lanka.



Sri Lanka is one of the countries that have received international recognition for its policies and laws for provision of free health and education systems without discrimination. Education and attendance at school were made compulsory for children between 5 and 14 years since 1939 by Education Ordinance of 1939. The minimum age identified for employment of children was recognized as 14 years in 1999, by an amendment to the Employment of Women, Young Persons and Children Act (No. 47) of 1956.

Ministry of Labour has the authority to enact laws that prohibit the employment of children in hazardous forms of child labour. The Article 22 of the Constitution on Special Rights for Children provides constitutional guarantees to the right of a child to be protected from abuse.

In Sri Lankan legal system, “child” is defined as a person from birth to 18 years of age and 16 years is generally considered as the “age of discretion” for both boys and girls. The minimum age of marriage under the general law is identified as 18 years. Sri Lanka, being a multi-ethnic, multi-religious society, has certain personal laws which are applicable only to specific ethnic and religious groups which defer from the civil law¹⁹.

Services for adolescents and youth

10

All these reflects the need for young people to have adolescent and youth-friendly health services (AYFHS) at primary care level. Youth friendly health service concept was introduced to Sri Lanka in 2005. Although, around 50 centers were established by late 2008 at hospitals and medical officer of health (MOH) areas, there were only nine youth friendly health service centers that were functioning when youth health component was incorporated into the family health programme of the Family Health Bureau in the latter half of 2015. Revamping process was initiated under the concept of “Yowun Piyasa” in 2016.



There are three models for Yowun Piyasa. They are 1). Hospital based 2). Field based (at MOH office) 3. Center based (separate center with both health and non-health facilities such as sport, computer, library, etc.)

The issues which led to the failure or closure of youth friendly health service centers were reviewed and the main reasons identified were lack of demand due to unawareness of service availability and poor quality of services. The national standards developed in



2005 were reviewed and new AYFHS standards were developed adapting the global standards with WHO support in 2016. New standards would help to overcome these barriers and facilitate the implementation of AYFHS²⁰.

In hospitals, AYFHS is provided at a corner away from the crowd and yet, linked to the outpatient department. It has easy accessibility to other health care units and very convenient for the client when referrals are made. Field based centers at the MOH offices are closer to the community. Center based concept is considered as ideal where center provides other facilities such as computers, reading material, vocational training facilities and recreational facilities in addition to health care services.

Whenever, AYFHS is provided at the MOH office or at non-health institutions, it is linked with the closest health institution. In parallel to AYFHS center, field health component of AYFHS is delivered through field health team under the leadership of MOH. The MOH of the area has the overall responsibility for the adolescent and youth health programme in his or her area. MOH is responsible to take necessary steps to ensure implementation of both clinic and field components of AYFHS according to the national standards in his or her area. Adolescent and youth friendly health clinic session is conducted at least once or twice a month on a fixed day (e.g. fourth Saturday morning) at MOH office or in a field clinic by the MOH or additional MOH (AMOH) with the support of public health nursing sister (PHNS), public health midwife (PHM) and other public health staff.

Adequate steps have to be taken to publicize this clinic services among the adolescents and youth at schools, vocational training centers, youth corps, work places etc. Further, awareness should be raised among their parents and public. Young persons are referred to this center from school medical inspection (SMI), domiciliary visits by



PHM and awareness sessions at schools or work places by public health inspector (PHI). MOH and the team is responsible for developing partnerships with educational, social service and divisional secretariat sectors as well as with non-governmental organizations(NGOs) helping adolescents with provision of certain facilities. Service provision as well as necessary referrals within and out-side the health sectors are provided. Similar to SMI, MOH, PHI and the team has to screen youth attending to youth training centers in the respective area.

PHM has to register adolescents during her home visits and to identify the adolescents who are at risk. She has to refer adolescents at risk to MOH. Non-school going adolescents are more vulnerable for risk behaviors and other health problems. Caring for non-school going adolescents is a responsibility of PHM and PHI under the guidance of the MOH and the health team consisting of PHNS, Supervisory Public Health Midwife (SPHM), Supervisory Public Health Inspector (SPHI). PHI is responsible for raising awareness, medical screening and referring for necessary services among adolescents and youth at the training centers and work places.

School health programme

Around 4,165,964 children attend schools around the country. Family Health Bureau is the focal point for school health programme. Central level planning, co-ordination, training, supervision, monitoring and evaluation functions are carried out by the Family Health Bureau. Epidemiology Unit coordinates the school based immunization component at national level. District level co-ordination is done by the Medical Officer, Maternal and Child Health (MOMCH). The MOH and his/her staff implement the school health programme with the PHI as the person responsible at the grass root level.



School Medical Inspection (SMI) is conducted by the MOH and his/her staff. In schools with less than 200 students, all are examined at the SMI. In schools with more than 200 students, SMI is conducted for grades 1, 4, 7 and 10. Children with identified defects are attended to, and necessary referrals are made.



The Ministry of Education has included health and physical education and other health related subjects in the school curricula. Sports and other extra-curricular activities are also encouraged in schools to promote physical health. The concept of health promoting schools has been incorporated into school health programme. Health promoting school program is implemented as a joint activity by health and education sectors and teacher counseling services are offered to schools with more than 400 students.



Weekly Iron Folate Supplementation (WIFS) is provided for all the school children in grades 1 to 13. MOH and the team conduct teacher training and educational programs for students on reproductive health, nutrition, NCD prevention and life skills. School Dental Service is provided to children up to 13 years.

Certain aspects of adolescent health component including life skills, nutrition, reproductive health are included in the school curriculum. Ministry of Education has taken initiatives to ensure school attendance up to grade 13 by introduction of practical technological skills component focusing future employments for those who do not succeed in GCE (O/L) exam in addition to the existing main streams.



Non-school going adolescents

Non-school going adolescents are at a higher risk compared to the school going adolescents. Further, they are a hard to reach category in the community. Addressing the health needs of the non-school going adolescents has become a great challenge. Several programmes are going on to reach them at various locations and institutions connected with employment, vocational training, youth training centers, universities or other tertiary education centers. Further, several NGOs such as Sarvodaya, Family Planning Association, Red Cross, Plan Sri Lanka, Sewa Lanka, Child Fund, Sumithrayo, Alcohol and Drug Information Center (ADIC) are reaching this group with provision of information, skills and services with varying degree of coverage. However, reaching marginalized groups of adolescents and youth at fragile settings is still found to be a major challenge.



Multi-sectoral involvement

Ministry of National Policies and Economic Affairs and Ministry of Vocational Training and Skills Development ensure provision of a wide range of training opportunities for youth. Ministry of Social Empowerment, Welfare and Kandyan Heritage, Ministry of Women and Child Affairs and Ministry of National Policies and Economic Affairs provide networks of counselling services at the divisional secretariat level with island wide coverage.



Ministry of Health has initiated preliminary discussions with the other ministries under the leadership of Ministry of National Policies and Economic Affairs for strengthening multi-sectoral activities on youth health. Plan will be developed with the involvement of adolescents and youth and other relevant stakeholders at all steps.



14

Other ongoing interventions

Parallel to development of standards on AYFHS, assessment tools, supervisory check list, implementation guide on AYFHS and clinic protocol were developed. Existing AYFHS centers were assessed. Youth health web site (<http://yowunpiyasa.lk>) was developed and launched. Development of school health policy was initiated by the school health unit of the Family Health Bureau jointly with Ministry of Education. Strengthening of multi-sectoral activities for youth was started under the leadership of Ministry of National Policy Development and Economic Affairs.



With the intention of building a conducive environment to facilitate adolescent health promotion, efforts were taken from ministry of education for making school education compulsory up to grade 13 with introduction of certain carrier guidance component.

A cabinet paper on physical activity in schools for obesity prevention was processed and obtained cabinet approval to make one non-competitive sport compulsory at schools. Guidelines for health promoting schools were developed and accreditation process was initiated. Implementation of school canteen policy are being strengthened.







Global developments in adolescent and youth health

01

Sustainable Development Goals (SDGs) and Adolescent Health

All 17 goals of SDGs are applicable to adolescents. However, goal number 3 and 4 are directly concerned about adolescent health and education respectively.

SDG goals focusing mainly on adolescent and youth health and education:

Goal 3: Ensure healthy lives and promote well-being for all at all ages

Goal 4: Ensure inclusive and equitable quality education and promote life-long learning opportunities for all

Targets of other SDGs that specifically address adolescents:

- Reduce at least by half the proportion of children living in poverty in all its dimensions according to national definitions (Target 1.2).
- Address the nutritional needs of adolescent girls (Target 2.2).
- Ensure that all girls and boys complete free, equitable and quality primary and secondary education leading to relevant and effective learning outcomes (Target 4.1).
- Substantially increase the number of youth who have relevant skills, including technical and vocational skills, for employment, decent jobs and entrepreneurship (Target 4.4).
- Eliminate gender disparities in education and ensure equal access to all levels of education and vocational training for children in vulnerable situations (Target 4.5).
- Ensure that all youth achieve literacy and numeracy (Target 4.6).
- Build and upgrade education facilities that are child sensitive and provide safe, non-violent, inclusive and effective learning environments for all (Target 4.6).
- End all forms of discrimination against all girls everywhere (Target 5.1).
- Eliminate all forms of violence against all girls in the public and private spheres, including trafficking and sexual and other types of exploitation (Target 5.2).
- Eliminate all harmful practices, such as child marriage, early and forced marriage and female genital mutilation (Target 5.3).



- Adopt and strengthen sound policies and enforceable legislations on the promotion of gender equality and the empowerment of girls at all levels (Target 5.c).
- Achieve access to adequate and equitable sanitation and hygiene for all and end open defecation, paying special attention to the needs of girls (Target 6.2).
- Achieve full and productive employment and decent work for all young people, and equal pay for work of equal value (Target 8.5).
- By 2020, substantially reduce the proportion of youth not in employment, education or training (Target 8.6).
- Take immediate and effective measures to eradicate forced labour, end modern slavery and human trafficking and secure the prohibition and elimination of the worst forms of child labour, including recruitment and use of child soldiers, and by 2025 end child labour in all its forms (Target 8.7).
- By 2020, develop and operationalize a global strategy for youth employment and implement the Global Jobs Act of the International Labour Organization (Target 8.b)
- Provide access to safe, affordable, accessible and sustainable transport systems for all, improving road safety, notably by expanding public transport, with special attention to the needs of children (Target 11.2).
- Provide universal access to safe, inclusive and accessible green and public spaces, in particular for children (Target 11.7).
- Promote mechanisms for raising capacity for effective climate change related planning and management in least developed countries and small island developing states, focusing on youth (Target 13.b).
- End abuse, exploitation, trafficking and all forms of violence against and torture of children (Target 16.2).
- Investment on adolescent health is essential to achieve the 17 SDGs with their 169 targets by 2030.



02

Global Strategy for Women's, Children's and Adolescents' Health (2016–2030): Adolescent health components³

A new global coalition of more than 500 leading health and development organizations worldwide is urging governments to accelerate reforms that ensure everyone, everywhere, can access quality health services without being forced into poverty. The coalition highlight the importance of universal access to health services for saving lives, which is a target within the “Global Strategy for Women's, Children's and Adolescents' Health (2016-2030): Survive, Thrive, Transform. WHO's report on Health for the world's adolescents: a second chance in the second decade notes that making progress towards universal health coverage will require Ministries of Health and the health sector to transform how health systems respond to the health needs of adolescents²¹.



03

Accelerated Action for the Health of Adolescents Framework (“the Global AA-HA! Framework”)⁴

As requested by the 68th World Health Assembly, WHO developed a Global Accelerated Action for the Health of Adolescents Framework (“the Global AA-HA! Framework”) in consultation with youth, member States and major partners aligned with the Global Strategy for Women's, Children's and Adolescents' Health (2016-2030). Framework provides guidance to countries and programmes on how to plan, implement and monitor “SURVIVE, THRIVE and TRANSFORM” response to the health needs of adolescents in line with the Global Strategy for Women's, Children's and Adolescents' Health (2016-2030). The AA-HA! guidance provides a systematic approach for understanding adolescent health needs, prioritizing these in the country context and planning, monitoring and evaluating adolescent health programmes.



Policy guidance for strategic plan for adolescent and youth health (2018–2025)

National Youth Policy was developed in 2014 by Ministry of Youth Affairs and Skill Development with the vision of “Development of the full potential of young people to enable their active participation in national development for a just and equitable society”. It directs towards building capacity of young people to meaningfully engage in the national development process. Guided by it, National Policy of Health of Young Persons was developed by the Ministry of Health.

The strategic plan for adolescent and youth health (2018-2025) is prepared based on the Maternal and Child Health (MCH) Policy, Reproductive Health Policy, National Youth Policy, National Policy of Health of Young Persons, School Health Policy and the National Nutrition Policy. The strategic framework for adolescents and youth (2018-2025) ensures implementation of the adolescent and youth health strategies identified in the National Youth Policy, the National Policy of Health of Young Persons and School Health Policy of the country²².

The MCH policy provides directions on strengthening the already established maternal and child health services with a vision of “A Sri Lankan nation that has optimized the quality of life and health potential of all women, children and their families” and its Goal 5 is dedicated to improve health of all children and adolescents.

Furthermore, strategic plan for adolescent and youth health (2018-2025) has linkages with national strategic plan on maternal and newborn health and national strategic plan on child health ensuring lifecycle approach^{23, 24}.

Sri Lanka is one of the first countries in the South East Asian Region to develop National Standards for AYFHS in 2006 which comprised of five standards. Those five standards were reviewed and revised after ten years in 2016 and developed a new updated set of eight national standards for AYFHS. The strategic plan for adolescent and youth health (2018-2025), would ensure that AYFHS in the country is meeting these national standards for AYFHS.



Rationale and the development of the strategic plan for adolescent and youth health 2018–2025

The present national adolescent and youth health strategic plan 2018–2025 is for a period of eight years. The first adolescent health strategic plan for 2013–2017 had a vision “to ensure that adolescents realize their full potential for growth and development in a conducive and resourceful physical and psychosocial environment”². It provided guidance for implementation of evidence-based interventions at national, provincial, district and divisional levels for achieving Millennium Development Goals (MDG). It addressed adolescent health through five broader sectors in parallel to building blocks of the health system; health sector, human resource development, health service delivery and cross cutting issues. It ensured the smooth implementations of identified evidence-based interventions with the guidance of advisory committee on young persons’ health. Though most of the strategies have been implemented, there are gaps in provision of quality care in addressing holistic needs of the adolescents and youth.

In September 2015 at the historic UN Summit, the 17 Sustainable Development Goals (SDGs) of the 2030 Agenda for Sustainable Development were adopted by world leaders with the intention of ending all forms of poverty, fighting inequalities and addressing climate change, while ensuring that no one is left behind over the next fifteen years.

The new goals recognize that ending poverty must go hand-in-hand with strategies that build economic growth and address a range of social needs including education, health, social protection, and job opportunities, while confronting climate change and environmental protection. All seventeen SDGs are applicable to adolescents.

Adolescent and youth health strategic plan 2018–2025 is developed in order to complete the unfinished agendas of the MDGs and to address adolescent health rights and the needs with non-discrimination addressing SDGs. This will provide guidance for accelerated implementation of adolescent and youth health programme in the country. It is expected to ensure addressing adolescent and youth health needs to an optimum in order to reach targets of SDGs.



Most of the strategies in this framework cover global strategies on Adolescent Health for 2016-2030 and Global Accelerated Action for the Health of Adolescents Framework (“the Global AA-HA! Framework”)^{3, 4}.

In early 2016, the Family Health Bureau initiated the development of the adolescent and youth health strategic plan 2018–2025. The National Programme Managers of Adolescent and Youth Health Unit and School Health Unit are the coordinators for the development of adolescent and youth health strategic plan 2018–2025. Technical advisory committee on young persons’ health and national coordinating committee on school health provided guidance for activity. Existing school health and adolescent health programmes were reviewed.

Strategic plan was developed with the contribution of a wide spectrum of stakeholders including the Director General of Health Services (DGHS), Deputy Director Generals (DDGs), health care workers in adolescent and youth health from the hospitals and the field, members from the Professional Organizations, relevant national programme managers from the Family Health Bureau and adolescent, youth and civil society groups to understand the existing gaps in the adolescent and youth health programme and the important aspects that should be addressed in the next strategic plan. Latest evidence based strategies were reviewed in global context and followed the interventions identified in Global Strategy for Women’s, Children’s and Adolescents’ Health 2016 -2030 and Global Accelerated Action for the Health of Adolescents Framework (“the Global AA-HA! Framework”)^{3,4}. With the consensus of DGHS and all relevant stakeholders final draft was developed.

This document provides strategic directions under 12 key areas addressing emerging issues and challenges pertaining to health of the youth mainly focusing on the Ministry of Health perspective. The existence of explicit strategies supports homogeneous, sustainable and quality health services to all adolescents and youth in Sri Lanka as identified in the National AYFHS Standards.

Higher level policy makers in the Ministry of Health, Ministry of Education, Ministry of National Policy Development, Ministry of Social Empowerment, Welfare and Kandyan Heritage, Ministry of Skills Development and Vocational Training, Ministry of Women and Child Affairs and other ministries, national level program planners, program managers at provincial, district and divisional levels and all relevant stakeholders including developmental partners are considered as the target audience of this document.





Guiding Principles

This document was prepared based on the following guiding principles:

- Right-based approach
- Gender sensitivity and equality
- Equity and non-discrimination
- Participation and empowerment of adolescents and youth
- Non-judgmental approach, respect and dignity of all beneficiaries
- Privacy and confidentiality
- Respect for law and order and policies
- Optimal service delivery to adolescents and youth with universal coverage

Vision

Country in which adolescents and youth realize their full potential for growth and development in a conducive and resourceful physical and psychosocial environment to be healthy, safe and happy.

To ensure adolescents and youth are empowered with knowledge, attitudes, skills and opportunities for optimum development in a safe, supportive and promotive environment at home, school and community which facilitate healthy transitions into adulthood and provide quality health care.

Mission

Goals

Adolescents and youth receive timely and effective health promotion, prevention and care services through integrated health systems and inter-sectoral collaboration.

Goals are based on following concepts:

1. Survive - End preventable deaths
2. Thrive - Ensure health and well-being
3. Transform - Expand enabling environments

Goals of the adolescent and youth health programme of the country

Note: The ultimate goal of a programme is to reduce mortality, morbidity and improve nutritional status and well-being. Therefore, the goals for adolescent and youth health programme are selected based on the indicators of morbidity, mortality, nutrition and well-being.



1. Reduce mortality among young persons (adolescents and youth) due to accidents (transport, falls and drowning) from 18.5 (in 2013) to 12.0 per 100 000 by 2025
Source - Department of Census and Statistics
2. Reduce mortality among young persons(adolescents and youth) due to suicides (intentional self harm) from 10.9 (in 2013) to 5.0 per 100 000 by 2025
Source - Department of Census and Statistics
3. Reduce the prevalence of wasting (thinness) among adolescents from 26.9% (in 2017) to 18% by 2025
Source - MRI Special Survey
4. Reduce prevalence of overweight and obesity among adolescents from 9.8% (in 2017) to 8.0% by 2025
Source - MRI Special Survey
5. To reduce adolescent fertility rate from 30/1000(in 2016) to 25/1000 by 2025
Census and DHS
6. To prevent new infections of HIV/STI among young persons by 2022
Source - National STD/AIDS Control Programme
7. To reduce the prevalence of anaemia among adolescents from 8.5%(in 2017) to 5.0% by 2025 *Source - MRI-Special Survey*
8. To increase the percentage of adolescents /youth who perceived to be in happy mood from 83% to 90 % by 2025 - NYHS

Evidence based interventions to improve health and well-being of adolescents

According to the Global Strategy for Children’s, Women’s and Adolescents’ Health and Accelerated Action for the Health of Adolescents framework (“the global AA-HA! framework”) the following evidence-based interventions have been identified to improve the health and well-being of the adolescents and youth.

Positive development

1. Promotion of healthy behaviour (e.g. nutrition, physical activity, no tobacco, no alcohol ,no substance use) through AYFHS, school health, hygiene and nutrition interventions and multispectral initiatives

Unintentional injury

2. Prevention of injuries - GS1
3. Assessment and management of adolescents who present with unintentional injury, including alcohol related injury - GS2





Violence

4. Prevention of violence - GS3
5. Prevention and response to child maltreatment - GS4
6. Prevention and response to sexual and other forms of gender based violence - GS5

Sexual and reproductive health, including HIV

7. Comprehensive sexuality education- GS6
8. Information, counselling and services for comprehensive sexual and reproductive health including contraception- GS7
9. Prevention and response to harmful practices such as female genital mutilation and early and forced marriage- GS8
10. Pre-pregnancy, pregnancy, birth, post pregnancy, abortion (where legal), and post abortion care (all 48 evidence-based interventions) as relevant to adolescents-GS 9
11. Prevention, detection and treatment of sexually transmitted and reproductive tract infections, including HIV and syphilis - GS 10
12. Voluntary medical male circumcision in countries with generalized HIV epidemics- GS 11.
13. Comprehensive care of children living with, or exposed to, HIV- GS 12

Communicable diseases

14. Prevention, detection and treatment of communicable diseases, including tuberculosis - GS 13
15. Routine vaccination according to national recommendations - GS 14
16. Prevention and management of childhood illnesses, including malaria, pneumonia, meningitis and diarrhoea - GS 15
17. Case management of meningitis - GS 16



Non-communicable diseases, nutrition and physical activity

18. Promotion of healthy behaviours (e.g. nutrition, physical activity, no tobacco, no alcohol or no drugs) - GS 17
19. Prevention, detection and treatment of non-communicable diseases - GS 18
20. Prevention, detection and management of anaemia, especially for adolescent girls. Iron supplementation where appropriate - GS 19
21. Treatment and rehabilitation of children with congenital anomalies and disabilities - GS 20.

Mental health, substance abuse and self-harm

22. Care for children with developmental delays - GS 21
23. Responsive care-giving and stimulation - GS 22
24. Psychosocial support and related services for adolescent mental health and well-being - GS 23.
25. Parent skills training, as appropriate, for managing behavioural disorders in adolescents- GS 24
26. Prevention of substance abuse- GS 25
27. Detection and management of hazardous and harmful substance use - GS 26
28. Prevention of suicide and management of self-harm/suicide risks - GS 27

Conditions with particularly high priority in humanitarian and fragile settings

29. Nutrition; disability and injury; violence; sexual and reproductive health; water, sanitation and hygiene; and mental health interventions.



Objectives of the adolescent and youth health programme of the country

Based on the list of evidence-based interventions, availability of data and sensitivity of the indicators, the following are identified as the programme objectives.

1. To reduce consumption of carbonated drinks among adolescents and youth from 44% to 34% by 2025 (NYHS): *Promotion of healthy diet*
2. To increase the proportion of adolescents engage in physical activity (60min/day) from 28% to 35% by 2025 (GSHS): *Improve physical activity*
3. To reduce alcohol (current) use among adolescents and youth from 5.3% to 3% by 2025 (NYHS): *Prevention and control of alcohol consumption*
4. To reduce smoking (current) among adolescents and youth 9% to 5% by 2025 (NYHS): *Prevention and control of smoking*
5. To reduce current use of addictive drugs among adolescents from 2.7% to 1.5% by 2025 (GSHS): *Prevention of Substance abuse*
6. Increase the coverage of weekly iron folic acid supplementation for school going adolescents from 77.2% to 85% by 2025(MRI): *Prevention and control of anaemia*
7. Increase the percentage of grade 12 children receiving comprehensive sexual and reproductive health education to 85% by 2025 (Special Surveys): *Sexual and reproductive education*
8. To reduce the percentage of adolescents subjected to bullying from 38.5% to 30% by 2025: (Special Surveys) *Psychosocial development*
9. To reduce the percentage of adolescents subjected to physical violence from 35% to 25% by 2025: (Special Surveys) *Prevention of violence*
10. To reduce the percentage of girls getting married before 18 years from 12% to 8% by 2025 (DHS): *Sexual and reproductive health services*
11. To increase the percentage of parents/guardians understand the problems of adolescents from 62.6% to 75% by 2025 (GSHS): *Parenting*
12. To reduce the percentage of adolescents who attempted suicide from 6.8% to 4% by 2025 (GSHS) (RHMIS): *Suicide prevention*
13. To establish at least one adolescent and youth friendly health service center in each MOH area: *Health services*
14. To make all health care facilities adolescent and youth friendly (RHMIS): *Health services*



Strategic directions

To achieve the above mentioned programme goals and objectives, twelve strategic directions are identified in the adolescent and youth health strategic plan for 2018 – 2025:

- Ensure leadership, governance, financing and accountability for adolescent and youth health
- Strengthen positive development of adolescent and youth
- Strengthen health system to cater for adolescent and youth health
- Promote psychosocial well-being of adolescents and youth
- Ensure optimal level of nutrition, physical activity, hygiene and sanitation
- Ensure access to sexual and reproductive health (SRH) education and services
- Prevent adolescents and youth from substance abuse
- Prevent accidents, injuries and violence among adolescents and youth
- Enhance community involvement to improve health of adolescents and youth
- Enhance service provision in humanitarian and fragile settings
- Strengthen capacity, partnership and networking among all stakeholders
- Strengthen research, monitoring and evaluation





Strategic direction

1

To ensure leadership, governance, financing and accountability for adolescent and youth health

Rationale

When it comes to the priority in financing, adolescent and youth health has not been given due recognition though investing on adolescents has been proven as a huge investment for the development of the country. There is the need of addressing this gap by having streamlined the flow of funds and other resources at all levels starting from national, provincial, district and divisional levels. Further, to that ensuring having good leadership and governance with policy guidance for adolescent and youth health programme and enacting necessary laws and regulations for adolescent getting best possible health care is needed for uplifting the adolescent and youth health in the country. Hence, effective planning should be strengthened at all levels. In this process, identifying social factors operating on adolescent and youth is vital. Finding effective interventions is a huge challenge to be met. Lack of accountability is one of the other barriers for improving adolescent and youth health programme as a country. The critical role of government sectors, civil society organizations, academia, the business community, media, funders and other stakeholders in holding each other and governments to account for adolescent and youth health outcomes has to be identified and strengthened. Therefore, strategies are identified to overcome all these aspects ensuring sustainability.

Strategies

1. Ensure the mechanisms to provide policy guidance to adolescent and youth health programme at all levels
2. Enact laws, regulations and policies to ensure protective, supportive and healthy environment for adolescents and youth
3. Ensure evidence-based planning and implementation and adequate funding for adolescent and youth health programme at all levels
4. Ensure mechanisms to understand and find effective ways to address social factors that contribute to adolescent and youth health
5. Strengthen accountability of government sectors, civil society organizations, academia, the business community, media, funders, other stakeholders and young persons on adolescent and youth health outcomes



Strategy 1.1

Ensure the mechanisms to provide policy guidance to adolescent and youth health programme at all levels

Major activities

- 1.1.1 Advocate for a high-level steering committee chaired by President's Secretary/ Prime Minister to strengthen the multi-sectoral coordination to improve adolescent and youth health
- 1.1.2 Continue the conduction of National Steering Committee/ Technical Advisory Committee for Young Persons' Health and National Coordinating Committee for School Health regularly
- 1.1.3 Establish district/ provincial level coordinating committees on young persons' health
- 1.1.4 Advocate for a single inter-ministerial plan, budget and monitoring and evaluation framework for adolescent and youth health
- 1.1.5 Advocate for development of infrastructure of all schools to address students' physical needs to promote learning of all students including institutionalized children and differently abled students

Strategy 1.2

Enact laws, regulations and policies to ensure protective, supportive and healthy environment for adolescents and youth

Major activities

- 1.2.1 Advocate and support for reviewing and updating existing policies and regulations to ensure that they are supportive and promotive for adolescent and youth health programme
- 1.2.2 Advocate and assist the implementation of the recommendations of the report on "Review of Laws, Regulations and Policies of Adolescent Sexual and Reproductive Health"
- 1.2.3 Advocate, revise and assist the implementation of child protection laws and policies including laws on abuse, corporal punishment, bullying and violence
- 1.2.4 Advocate and assist the implementation of the existing laws and regulations on substance use including tobacco, alcohol and illicit drugs



Strategy 1.3

Ensure evidence-based planning and implementation and adequate funding for adolescent and youth health programme at all levels

Major activities

- 1.3.1 Develop tools with sensitive indicators to review the implementation status and achievements related to adolescent and youth health
- 1.3.2. Incorporate the planning for adolescent and youth health programmes to annual plans
- 1.3.3 Advocate for relevant policy makers and higher administrative authorities to get adequate funds for adolescent and youth health initiatives through a separate budget line including national and provincial level

Strategy 1.4

Ensure mechanisms to understand and find effective ways to address social factors that contribute to adolescent and youth health

Major activities

- 1.4.1 Identify the most risk groups of young persons with regard to social factors affecting health
- 1.4.2 Develop and implement targeted programs based on evidence with regard to vulnerable and marginalized adolescents and youth

Strategy 1.5

Strengthen accountability of government sectors, civil society organizations, academia, the business community, media, funders, other stakeholders and young persons on adolescent and youth health outcomes

Major activities

- 1.5.1 Include adolescent and youth health indicators into routine RHMIS and monitoring mechanism
- 1.5.2 Ensure participation of all stakeholders and adolescents and youth in developing plans, programming, monitoring and evaluation of implementation
- 1.5.3 Establish a monitoring system to review the incidences related to adolescent and youth, reported in mass media
- 1.5.4 Advocate for establishing an arbitrary body for school going children rights



Strategic direction

2

Strengthen positive development of adolescent and youth

Rationale

Development of the young person is the basis of improving adolescent and youth health in a country. Health promoting concept is being implemented through school system as a joint activity between Ministry of Health and Ministry of Education. However, it is still not up to the expectation of the country. Hence, strengthening the programme is a timely need. In addition, around 20 000 youth are involved in vocational and other trainings. Therefore, it is essential to have health promotion concept implemented at all training centers for adolescents and youth. Initial steps of training the instructors of these training centers were carried out as a joint activity.

Use of mobile phones and computers and surfing on internet is becoming the culture among adolescent and youth. This is generally seen everywhere and was reflected by national level surveys such as National Youth Health Survey 2012-2013. Establishing a system with online protection is a timely need of the country. Meanwhile, having e health and m health interventions for catering health needs of adolescent and youth is proven to be an effective intervention in global context.

Strategies

1. Ensure health promotion at schools and training centers
2. Ensure online protection of adolescents and youth
3. Ensure adolescent and youth participation in all levels of the AYFHS programme
4. Establish e health and m health interventions for health education for adolescents and youth
5. Ensure provision of school education up to grade 13 for all adolescents



Strategy Direction 2

Strengthen positive development of adolescent and youth

Strategy 2.1

Ensure health promotion at schools and training centers

Major activities

- 2.1.1 Evaluate all schools and other educational institutions for status of health promotion and accredit based on evaluation

Strategy 2.2

Ensure online protection of adolescents and youth

Major activities

- 2.2.1 Advocate for enacting regulations on restricting certain web sites
- 2.2.2 Educate parents on online protection of the adolescents and youth

Strategy 2.3

Ensure adolescents and youth participation in all levels of AYFHS programme

Major activities

- 2.3.1 Facilitate adolescent and youth participation and involvement in programme design, implementation and monitoring and evaluation of AYFHS

Strategy 2.4

Establish e health and m health intervention for health education for adolescents and youth

Major activities

- 2.4.1 Explore the potential of adolescent e-health and m-health interventions focused on particular issues such as chronic illness management, tobacco cessation and sexual reproductive health with a variety of approaches

Strategy 2.5

Ensure provision of school education up to grade 13 for all adolescents

- 2.5.1 Strengthen monitoring school dropout closely at schools
- 2.5.2 Strengthen follow up of school dropouts at the field by public health staff



Strategic direction

3

Strengthen health system to cater for adolescents and youth

Rationale

AYFHS are initiated in Sri Lanka as early as 2005. However, at present there are only 30 functioning centers all over the country. MOHs are supposed to conduct at least one AYFHS clinic per month in their area. However, young persons do not perceive the need of getting services from these clinics. Though having a separate center dedicated for adolescents and youth with recreational, reading, computer, career guidance and health services at one service delivery point is identified as the best concept in global context, it is not logistically feasible to make available such centers through out the county due to resource constraints. Considering global and regional evidence, for streamlining these services, next option is to introduce adolescent and youth friendly concept at all health service facilities. Though, health staff is presently been trained on AYFHS, increasing capacity of all health care providers should be ongoing with incorporation of latest evidence-based teaching and learning strategies. School health programme provides health screening and vaccination for all school-going adolescents.

In the process of strengthening the capacity building of the health care providers, existing trainer manual on adolescent and youth health was revised. Participant manuals and training packages are being developed. Sensitization of non-health category working with young persons was initiated with training of teaching instructors for youth and officers attached to the divisional secretariat offices. Yet, there is the need of strengthening the ongoing training.

Meanwhile health system has to be strengthened on health promotion at schools, training centers and working places for the well-being of adolescents and youth. Strengthening services for adolescents and youth as per expectations and standards are essential.

Strategies

1. Streamline the AYFHS
2. Improve the capacity of health staff to deal with health issues among adolescents and youth
3. Improve the capacity of non-health staff to deal with health issues among adolescents and youth
4. Strengthen health promotion at schools including school health services to cater for adolescents and youth
5. Strengthen the services for adolescents and youth with chronic diseases and behavioural issues



Strategy 3.1

Streamline the AYFHS

Major activities

- 3.1.1 Strengthen all health care provision points for adolescents and youth for adolescent and youth friendly service provision
- 3.1.2 Establish the AYFHS centers using appropriate models in selected locations and implement according to the standards and protocols on AYFHS
- 3.1.3 Create demand for the AYFHS through school health programme, outreach and other relevant activities
- 3.1.4 Strengthen the referral system for adolescent and youth health issues
- 3.1.5 Conduct regular review to strengthen AYFHS at institutional, district and national level
- 3.1.6 Prepare all sectors of the health system to cope with adolescent and youth health needs in emergencies and disasters

Strategy 3.2

Improve the capacity of health staff to deal with health issues among adolescents and youth

Major activities

- 3.2.1 Review and revise the basic and in-service curricula for medical officers, nurses, PHMs and PHIs to incorporate the knowledge, attitudes and skills for identification and management of adolescents and youth health issues
- 3.2.2 Adopt new methodologies to teach sensitive subject areas related to adolescents and youth health
- 3.2.3 Strengthen the training of the health care workers using orientation programme on adolescents and youth health (AYFHS centers, other service delivery points such as outpatient departments)

Strategy 3.3

Improve the capacity of non-health staff to deal with health issues among adolescents and youth

Major activities

- 3.3.1 Incorporate adolescent and youth health module into the curriculum of youth training institutions and vocational training institutions
- 3.3.2 Review and revise curricula incorporating adolescent and youth health in to the training curriculum of teaching instructors



3.3.3 Strengthen the training of the non-health workers working with adolescents and youth using orientation programme

3.3.4 Adopt new methodologies to teach sensitive subject areas related to adolescents and youth health for young persons

Strategy 3.4

Strengthen the health promotion at schools by including school health services to cater for adolescents and youth

Major activities

3.4.1 Advocate for health promotion policies and to establish resource centers in schools

3.4.2 Review, revise and strengthen school oral health services

3.4.3 Advocate for dental trauma prevention and management through school oral health services

3.4.4 Strengthen the counseling services and referral pathways for identified health and psychosocial issues in schools

Strategy 3.5

Strengthen the services for adolescents and youth with chronic diseases and behavioral problems

Major activities

3.5.1 Strengthen the identification, appropriate referral, treatment, follow up and rehabilitation of adolescents and youth with congenital abnormalities and disabilities, chronic diseases, learning difficulties and behavioral problems



Strategic direction

4

Promote psychosocial well-being of adolescents and youth

Rationale

It is very important for the health development of the adolescents and youth, to have psychosocial well-being. They have to have life skills to face the challenges in the modern world. Life skill development is incorporated into the school curriculum and teachers are trained on this jointly by education and health ministries. However, research-based evidence shows that their life skills are not up to the expected standards. Suicide and attempting suicides is a major issue. Bullying and violence are very much common. All these reflect the need of strengthening life skills of adolescents and youth and ensuring bullying free, safe, supportive environment in schools, training centers and universities. Empowering adolescents, youth, teachers, parents and community in promoting mental health well-being and timely identification of mental health conditions are to be strengthened. Several psychological conditions start within adolescent period. Hence, streamlining suicide prevention, stress management and early identification of psychological conditions are essential. There are counsellors at certain schools and youth training centers. Yet, it is necessary to strengthen these services. Replacing teacher counsellors with trained non-teacher counsellors to increase quality and coverage of the services is a timely need.

Strategies

1. Strengthen the life skills among adolescents and youth
2. Ensure early identification and appropriate management of adolescents and youth with physical, mental and psychosocial issues
3. Empower parents, teachers and students to promote psychosocial well-being
4. Ensure safe, supportive environment at home, school, community and other institutions free from bullying, violence and abuse
5. Streamline interventions for suicide prevention, anxiety and stress management



Strategy 4.1

strengthen the life skills among adolescents and youth

Major activities

- 4.1.1 Advocate ministry of education for active participation of students in school extracurricular activities e.g. health clubs, team games, spiritual and other activities
- 4.1.2 Incorporate life skill development to school and other curricula (e.g. higher education, youth and vocational training)
- 4.1.3 Promote positive social interactions within all school communities and training centers

Strategy 4.2

Ensure early identification and appropriate management of adolescents and youth with physical, mental and psychosocial issues.

Major activities

- 4.2.1 Introduce a suitable screening tool to identify developmental delays and psychosocial issues among adolescents and youth through school health programme
- 4.2.2 Strengthen the counseling services in schools and other settings
- 4.2.3 Streamline the referral pathways for identified issues
- 4.2.4 Establish a hot line/ web-based platform to help adolescents and youth
- 4.2.5 Advocate for strengthening care for adolescents and youth with identified developmental delays

Strategy 4.3

Empower parents, teachers and students to promote psychosocial well-being

Major activities

- 4.3.1 Incorporate parenting skills on adolescent care to teacher training curricula
- 4.3.2 Educate community on parenting at suitable parent teacher gatherings/using audio visual aids
- 4.3.3 Introduce parenting skills training, as appropriate, for managing behavioural disorders in adolescents through health and educational sectors
- 4.3.4 Promote publishing positive case studies on good parenting



- 4.3.5 Develop information education and communication (IEC) material on parenting for adolescents and youth
- 4.3.6 Develop material for adolescents and youth on how to manage stress, time, critical thinking, decision making and carrier guidance (audio visual aids, Instagram posts etc.)

Strategy 4.4

Ensure safe, supportive environment at home, school, community and other institutions free from bullying, violence and abuse

Major activities

- 4.4.1 Advocate for increasing opportunities for aesthetic and recreational activities in school timetable and at home and community
- 4.4.2 Advocate for adolescents and youth friendly school and training center with supportive and safe environment, free from bullying, violence and abuse
- 4.4.3 Advocate for no bullying and no violence policies and regulations and procedures to prevent bullying, violence and abuse in schools and institutions
- 4.4.3 Train teachers to recognize and counsel students regarding bullying, violence and abuse
- 4.4.5 Establish a reporting mechanism at schools and other institutions regarding bullying and violence

Strategy 4.5

Streamline interventions for suicide prevention, anxiety and stress management

Major activities

- 4.5.1 Advocate for legislation to restrict the access to pesticides, firearms, medications and other commonly used modes of attempting suicide and safe storage and disposal of pesticides
- 4.5.2 Establish sustainable and long-term surveillance system on deliberate self harm and attempting suicide in order to strengthen prevention, intervention and treatment
- 4.5.3 Establish adequate, prompt and accessible treatment for substance use and mental disorders with the objective of reducing the risk of suicidal behavior
- 4.5.4 Establish guidelines for media highlighting the importance of avoiding detailed descriptions of suicidal acts, sensationalism, glamorization and oversimplification and use of responsible language
- 4.5.5 Establish online suicide prevention strategies or short messenger service including self-help programmes and professional help



- 4.5.6 Conduct awareness campaigns to reduce stigma, promote help seeking and access to care with special focus on vulnerable groups
- 4.5.7 Capacity building of the gatekeepers on identifying adolescents and youth at risk and referring at-risk individuals for treatment
- 4.5.8 Establish helplines that adolescents and youth can access in crisis e.g. with peer assistance.
- 4.5.9 Capacity building of primary health-care workers to recognize depression, suicide risk, substance use disorders and other mental health issues
- 4.5.10 Establish a strong follow-up system and support for adolescents and youth discharged after suicide attempts in the community





Strategic direction

5

Ensure optimal level of nutrition, physical activity, hygiene and sanitation

Rationale

All necessary details of healthy options of diet, physical activity, hygiene and sanitation are included in school curriculum. Yet, environment at schools, homes and community are not having options enabling healthily choices. In spite of having school canteen guideline, school canteens are still not up to the expected standards. Fast food places with unhealthy food are within walking distance from the schools. Media advertise unhealthy food options using adolescents for promoting these food items. National youth health survey 2012-2013, reflected that sedentary lifestyles as a major issue among adolescents and youth. Adolescents and youth are more on screen, watching television, using mobile phones and computers. They do not perceive the consequences of physical inactivity. Though it is made compulsory to have outdoor physical activity sessions at schools, it is not being implemented as expected. Still there are pockets within our community that do not meet required standards of hygiene and sanitation. Hence, it is necessary to strengthen the knowledge and skills of the adolescents and youth on these aspects further to create an enabling environment.

Strategies

1. Create an enabling environment to promote healthy eating
2. Improve knowledge and skills of adolescents and youth on healthy eating
3. Strengthen comprehensive school nutrition services
4. Strengthen early identification and management of nutritional issues
5. Create an enabling environment to promote physical activity
6. Improve hygiene and sanitation



Strategy 5.1

Create an enabling environment to promote healthy eating

Major activities

- 5.1.1 Advocate strengthening regulatory mechanisms for advertisements on food and beverages
- 5.1.2 Advocate for improving food labeling to facilitate healthy choices e.g. Front of pack labeling, traffic light systems, healthy logos, etc.
- 5.1.3 Advocate for inclusion of legislation on healthy food into food act
- 5.1.4 Advocate for introducing pricing systems to increase price of unhealthy foods and reduce the price of healthy foods
- 5.1.5 Advocate for implementation of the healthy canteen policy in schools and extend the implementation to universities, vocational training centers, etc.
- 5.1.6 Advocate for educating on healthy eating at schools, training centers and in the community

Strategy 5.2

Improve knowledge and skills of adolescents and youth on healthy eating

Major activities

- 5.2.1 Develop social marketing campaign to promote healthy eating, physical activity and healthy life styles targeting both young persons and parents
- 5.2.2 Advocate Ministry of Education to include lessons on healthy eating, nutrition, nutritional assessments, physical activity and gardening to school curricula

Strategy 5.3

Strengthen comprehensive school nutrition services

Major activities

- 5.3.1 Establish and implement standards for meals provided in school
- 5.3.2 Strengthen implementation of healthy canteen policy at schools, sports facilities, training centers and youth work places

Strategy 5.4

Strengthen early identification and management of nutritional issues



Major activities

- 5.4.1 Scale up the establishment of facilities at schools, universities and vocational training centers for enabling nutritional self- assessment
- 5.4.2 Introduce yearly medical assessments for adolescents and youth at universities and other training centers
- 5.4.3 Scale up and streamline the weekly iron folic acid supplementation at schools and seek the possibility of extending to other institutions
- 5.4.4 Strengthen nutrition clinics at MOH offices and hospitals as referral centers
- 5.4.5 Establish family-based, multi-component, lifestyle and weight management services for adolescents and youth with the involvement of multi-professional teams

Strategy 5.5

Create enabling environment to promote physical activity

Major activities

- 5.5.1 Introduce "walk for health" concept to schools and other institutions e.g. Step count competitions, walking school bus, etc.
- 5.5.2 Streamline the regulations on time allocated for physical activity in schools
- 5.5.3 Advocate to have adequate facilities at school premises, youth training centers, workplaces and public spaces for enabling physical activity during recreational time for all adolescents and youth including disabled
- 5.5.4 Increase the awareness among adolescents and youth, their parents, caregivers, teachers and health professionals on healthy body size, physical activity, correct sleeping behaviours and appropriate use of screen-time
- 5.5.5 Promote regular, structured sports activities among adolescents and youth while ensuring the linkages with physical activity, sports and health

Strategy 5.6

Improve hygiene and sanitation

Major activities

- 5.6.1 Advocate for adequate toilet facilities (for girls and boys separately) with continuous water supply and cleaning mechanism in schools, training centers and universities
- 5.6.2 Advocate for availability of safe drinking water in schools, training centers and universities
- 5.6.3 Advocate for provision of hand washing facilities at schools, training centers and universities



Strategic direction

6

Ensure access to sexual and reproductive health (SRH) education and services

Rationale

Age appropriate SRH components are already included in school curricula from grade six onwards. However, teaching of these components are not being carried out as expected. Though teaching staff has knowledge, they do not have adequate skills to impart it to the students due to barriers that they have identified themselves. Addressing these barriers and streamlining SRH education through schools as well as other youth training programmes are very much essential.

SRH services are operated throughout the country through field and curative health services. These services consist of provision of SRH services for adolescents as well. PHM has a role to register adolescents and to identify those at risk and refer them to MOH or AYFHS clinic at hospitals. However, adolescent fertility rate still shows an increasing trend. Coverage of services are not up to the standard. Hence, strengthening service availability and increasing awareness on existing services is a timely need.

In spite of service availability and SRH education, there is a group of adolescents who get pregnant during the teenage period. They too have right for health, education and protection. Formal and non-formal education has to cater the educational need of this group as well. Further, they should be supported to have a safe childbirth with an assurance of social support such as safe homes.

Strategies

1. Streamline the age appropriate SRH education through school and other curricula
2. Strengthen the SRH services for adolescents and youth
3. Ensure formal education for teenage pregnant adolescents



Strategy 6.1

Streamline the age appropriate SRH education through school and other curricula

Major activities

- 6.1.1 Implement the policy on compulsory comprehensive SRH education at grade 12
- 6.1.2 Advocate for implementation of the policy on compulsory basic age appropriate components of SRH education from grade 6 upwards
- 6.1.3 Review and revise school curricula and other curricula based on new evidence on SRH
- 6.1.4 Develop and implement educational package through media and other means of communication used by adolescents and youth
- 6.1.5 Introduce educational material on SRH in sign language and brail language

Strategy 6.2

Strengthen the SRH services for adolescents and youth

Major activities

- 6.2.1 Review and revise the existing laws and regulations to remove barriers for adolescents and youth to access SRH services e.g. legalizing termination of pregnancy for under 16 year pregnant category with unwanted pregnancies
- 6.2.2 Empower health workers to deal with SRH issues and provision of family planning for adolescents and youth with the assurance of privacy, confidentiality and dignity
- 6.2.3 Continue provision of quality care on pre-pregnancy, pregnancy, childbirth, post-partum and post abortion as relevant to adolescents
- 6.2.4 Strengthen prevention, detection and treatment services for STI and HIV
- 6.2.5 Establish facilities for SRH specific counseling and guidance at health facilities for adolescents and youth
- 6.2.6 Advocate law-implementing authorities and child care officials on the need of respectful care and the confidentiality maintenance in issues related to adolescents and youth
- 6.2.7 Advocate for establishing safe home facilities for teenage pregnant mothers as appropriate
- 6.2.8 Strengthen the SRH services for adolescents and youth with special needs and socially deprived e.g. prisoners, war affected groups and youth with special needs, etc.
- 6.2.9 Strengthen the services for child abuse cases
- 6.2.10 Advocate child protection authority to prevent perpetrators having chances to engage in abusing children continuously by having a registry of perpetrators and keeping them away from jobs related to children



Strategy 6.3

Ensure formal education for teenage pregnant adolescents

Major activities

- 6.3.1 Advocate for having legislations and policies enabling pregnant adolescents continuing education



Strategic direction

7

Prevent adolescents and youth from substance abuse

Rationale

Certain social determinants and risk factors existing in the community make adolescents and youth more vulnerable for tobacco, alcohol and other addictive substance use. Peer pressure and lack of life skills are the main reasons for adolescents and youth becoming addicts. Empowering adolescents and youth with life skills being incooperated into school curriculum. Yet, adolescents and youth do not have enough skills to overcome such challenges. There is an emerging need to empower adolescents and youth with life skills to say “no” to tobacco, alcohol and addictive substances. Ensuring implementation of necessary legislations to prevent availability of tobacco, alcohol and addictive substances is essential.

The need of strengthening supportive services for quitting and rehabilitation for the addicted group is vital. Need of introducing evidence based innovative approaches at all levels to achieve these targets is imminent.

Strategies

1. Empower adolescents and youth to "say no" to tobacco, alcohol and addictive substances
2. Reduce the affordability of tobacco and alcohol
3. Ensure banning and advertising of tobacco and alcohol
4. Strengthen services available for quitting and rehabilitation from tobacco, alcohol and addictive substances



Strategy 7.1

Empower adolescents and youth to "say no" to tobacco, alcohol and addictive substances

Major activities

- 7.1.1 Establish peer groups and train them with relevant skills
- 7.1.2 Conduct regular and effective mass-media campaigns to raise the awareness of the hazards of addictive substances
- 7.1.3 Advocate to promote the entertainment media, cinema and drama as smoke and alcohol-free
- 7.1.4 Advocate for implementation of policies, laws and regulations on tobacco, alcohol and other addictive substances
- 7.1.5 Educate the parents, teachers and general public on addictive substances
- 7.1.6 Advocate for implementation of smoke free environment at school, work place and public transport

Strategy 7.2

Reduce the affordability of tobacco and alcohol

Major activities

- 7.2.1 Advocate to reduce affordability for tobacco products by increasing tobacco excise taxes
- 7.2.2 Advocate restricting alcohol availability and affordability by reducing demand through taxation and pricing

Strategy 7.3

Ensure banning of advertising tobacco and alcohol

- 7.3.1 Advocate to enforce comprehensive bans on tobacco advertising, promotion and sponsorship, including, internet, social media and cross-border advertising.
- 7.3.2 Advocate to regulate the marketing of alcohol to adolescents; raise awareness and support for policies; and implement corrective and preventive interventions for the harmful use of alcohol



Strategy 7.4

Strengthen services available for quitting and rehabilitation from tobacco, alcohol and addictive substances

Major activities

- 7.4.1 Establish medical services to support quitting and rehabilitation from tobacco, alcohol and addictive substances
- 7.4.2 Educate all non-smokers not to start smoking; strongly advise all smokers to stop smoking, and support them in their efforts; and advise individuals who use other forms of tobacco to quit (e.g. Toolkit for delivering the 5A's and 5R's in brief tobacco interventions in primary care for more specific guidance)



Strategic direction

8

Prevent accidents, injuries and violence among adolescents and youth

Rationale

According to the IMMR of the country, external causes are the leading causes of morbidity and mortality among adolescents and youth. These include accidents, injuries and other external causes. Violence is increasingly reported among this group in spite of all legal and social restrictions. It is important to ensure accident and injury free environments at home, schools, training centers and public places in parallel to skill development to avoid accidents and injuries. Improving life skills should be strengthened in order to reduce violence among adolescents and youth while ensuring mental and physical well-being of the victimized adolescents and youth. Proper management of injuries and accidents have to be strengthened further.

Strategies

1. Ensure accidents and injury free environment for adolescents and youth
2. Ensure proper management of injuries and accidents among adolescents and youth
3. Ensure reduction of violence among adolescents and youth
4. Strengthen surveillance system and monitoring of accidents, other injuries and violence



Strategy 8.1

Ensure accidents and injury free environment for adolescents and youth

Major activities

- 8.1.1 Advocate for education of laws and regulations to reduce road traffic accidents among adolescents and youth e.g. Helmet policy, policies related to three-wheeler driving, etc.
- 8.1.2 Advocate for setting the legal age for allowing alcohol consumption to 21 years
- 8.1.3 Advocate for a graduated licensing system such as first an extended learner period involving training and low-risk, supervised driving; then a license with temporary restrictions; and finally, a full license
- 8.1.4 Advocate for infrastructural engineering measures for road network (e.g. speed humps, mini-roundabouts, designated pedestrian crossings, road lighting or surface treatment and one-way street and traffic calming measures)
- 8.1.5 Advocate for setting vehicle safety standards
- 8.1.6 Use case studies to educate adolescents and youth regarding accident and injury prevention
- 8.1.7 Set standards on playgrounds, swimming pools and sports complexes at schools and strengthen the implementation
- 8.1.8 Advocate raising the awareness on road safety rules, regulations and laws through school curriculum
- 8.1.9 Implement community campaigns to ensure road safety and prevent other accidents such as drowning and falls

Strategy 8.2

Ensure proper management of injuries and accidents

Major activities

- 8.2.1 Introduce compulsory training on First Aid for adolescents and youth through schools, universities and vocational training centers
- 8.2.2 Strengthen the emergency management services at hospitals



Strategy 8.3

Ensure reduction of violence among adolescents and youth

Major activities

- 8.3.1 Advocate for legislations for reducing access to and misuse of firearms and explosive substances
- 8.3.2 Advocate for deploying police resources in areas where crime is prevalent
- 8.3.3 Advocate raising the awareness on road safety rules, regulations and laws regarding violence and abuse to school curriculum
- 8.3.4 Advocate to implement and enforce laws: ban violent punishment at schools and workplaces, criminalizing sexual abuse and exploitation of children
- 8.3.5 Strengthen parent and caregiver support through home visits, community approaches and comprehensive programmes
- 8.3.6 Conduct life skill training programmes for adolescents and youth including anger management
- 8.3.6 Advocate to implement response and support services for adolescents and youth engaged in violence (e.g. screening and interventions, counseling and therapeutic approaches, programmes for juvenile offenders and foster care interventions)

Strategy 8.4

Strengthen surveillance system and monitoring of accidents, other injuries and violence

- 8.4.1 Advocate strengthening injury surveillance
- 8.4.2 Establish a surveillance system for violence
- 8.4.3 Conduct regular monitoring of accidents and violence



Strategic direction

9

Enhance community involvement to improve adolescent and youth health

Rationale

Advocacy to have recreational and sports activities in the community has been initiated. Yet, there is a need to strengthen the availability of such facilities in the community while ensuring safety. Community involvement is very important in taking such initiatives. Media advertise all unhealthy foods and drinks irrationally. Hence, it is essential to ensure that media act responsibly for the betterment of adolescents and youth rather than targeting only on income generation through irrational advertising.

Adolescence is a time of significant growth and development in the brain. Unused connections in the thinking and processing part of adolescent brain are 'pruned' away while used connections are strengthened. This process of brain maturation begins in the back of the brain. The front part of the brain, the prefrontal cortex, is the last part to mature. It is the decision-making part of the brain, responsible for child's ability to plan and think about the consequences of actions, solve problems and control impulses. Changes in this part continue into early adulthood.

As prefrontal cortex is still developing, adolescent might rely on a part of the brain called the amygdala to make decisions and solve problems more than adults do. The amygdala is associated with emotions, impulses, aggression and instinctive behaviour. It is very important that parents, teachers and community should understand this scientific basis of adolescent behavior. Parents, teachers and the community need several skills to handle this group. Enhancing parenting skills to improve health of adolescents and youth is still a major challenge.

Strategies

1. Ensure availability of recreational and sport activities
2. Ensure responsive media exposure
3. Enhance parenting to improve health of adolescents and youth
4. Ensure supportive, safe environment in the community



Strategy 9.1

Ensure availability of recreational and sport activities

Major activities

Advocate for providing recreational and sports activities at community level

Strategy 9.2

Ensure responsive media exposure

Major activities

9.2.1 Support in establishing responsible media behaviour that facilitate in reducing adolescent and youth risk behaviors

Strategy 9.3

Enhance parenting to improve health of adolescents and youth

Major activities

9.3.1 Strengthen the parental knowledge on the needs of adolescents and youth

9.3.2 Improve the capacity of parents on parenting adolescents and youth

9.3.3 Strengthen the marginalized groups of parents with specific life skills

Strategy 9.4

Ensure supportive, safe environment in the community

Major activities

9.4.1 Ensure environment is free from bullying, violence and abuse

9.4.2 Strengthen relationships and social well-being through community activities



Strategic direction

10

Enhance service provision for adolescents and youth in humanitarian and fragile settings

Rationale

Universal health care coverage including preventive, promotive, curative and rehabilitative health care without discrimination have to be ensured for adolescents and youth. There are pockets of socially deprived subcultures, war affected communities and key populations among adolescents and youth throughout the country. In such sub-cultures it is very important to identify priorities and to design and implement focused interventions. Deployment of essential interventions in an emergency has to be ensured. Therefore, it is very much needed to streamline the provision of health services for adolescents and youth in such humanitarian and fragile settings. This includes ensuring of both physical and psychological well-being of adolescents and youth in fragile settings as well as educational and recreational facilities.

Catering for sexual and reproductive health needs and psychological first aid for needy adolescents and youth is very important.

Strategies

1. Strengthen identification of priority needs and focused interventions for adolescents and youth in humanitarian and fragile settings
2. Ensure deployment of essential health interventions for adolescents and youth in an emergency in humanitarian and fragile settings
3. Streamline the provision of health services for adolescent and youth in humanitarian and fragile settings
4. Improve recreational facilities and educational facilities to support psychosocial well-being of the adolescents and youth in humanitarian and fragile settings
5. Ensure provision of psychological first aid and first-line management of mental, neurological and substance use conditions of the adolescents and youth in humanitarian and fragile settings



Strategy 10.1

Strengthen identification of priority needs and focused interventions for adolescents and youth in humanitarian and fragile settings

Major activities

- 10.1.1 Develop and use a health and humanitarian risk assessment approach for adolescents and youth in humanitarian and fragile settings

Strategy 10.2

Ensure deployment of essential health interventions for adolescents and youth in an emergency in humanitarian and fragile settings

Major activities

- 10.2.1 Adapt, implement and coordinate the use of minimal initial service package in an emergency (eg. In the fields of nutrition, disability, violence, SRH, sanitation, hygiene and mental health)

Strategy 10.3

Streamline the provision of health services for adolescent and youth in humanitarian and fragile settings

Major activities

- 10.3.1 Establish medical screening of adolescents and youth of marginalized populations E.g. In conflict affected areas and those undergone physical or sexual violence
- 10.3.2 Strengthen community based psychosocial support for marginalized groups of adolescents and youth

Strategy 10.4

Improve recreational and educational facilities to support psychosocial well-being of the adolescents and youth in humanitarian and fragile settings

Major activities

- 10.4.1 Advocate for promotion of recreational activities and restarting of formal or informal education and career development among marginalized adolescents and youth



Strategy 10.5

Ensure provision of psychological first aid and first-line management of mental, neurological and substance-use conditions among adolescents and youth in humanitarian and fragile settings

Major activities

- 10.5.1 Strengthen capacity building of health care workers on psychological first aid and first line management of mental, neurological and substance-use conditions among adolescents and youth in humanitarian and fragile settings
- 10.5.2 Improve facilities available for psychological first aid and first line management of mental, neurological and substance-use conditions among adolescents and youth in humanitarian and fragile settings



Strategic direction

11

Strengthen the capacity, partnership and networking among all stakeholders working on adolescents and youth

Rationale

Adolescents and youth health is a sector that need to be addressed with partnership with other ministries, NGOs, adolescents and youth. National level steps for forming a multisector committee on developing multi-sector approach is already initiated with the leadership of National Policy and Development Ministry. Adolescents and youth involvement have to be ensured at all steps and at all levels in adolescent and youth health initiatives. For that it is vital to strengthen the capacity, partnership and networking among all stakeholders, adolescents and youth.

Strategies

1. Strengthen capacity, partnership and networking among all stakeholders, adolescents and youth

Strategy 11.1

- 11.1 Strengthen capacity, partnership and networking among all stakeholders and adolescents and youth

Major activities

- 11.1.1 Advocate to establish and develop a single inter-ministerial plan, budget, monitoring and evaluation framework for adolescents and youth
- 11.1.2 Strengthen the intra and inter sectorial committees including private sector, professional and NGOs, media and adolescent and youth groups
- 11.1.3 Establish partnership with private sector, NGOs, community-based organizations and youth groups to improve adolescent and youth health
- 11.1.4 Involve young persons in all steps of planning and implementation



Strategic direction

12

Strengthen research, monitoring and evaluation on adolescents and youth health services

Rationale

HRMIS system collects data of number of adolescents, adolescents at risk, adolescents referred and adolescent deaths. Yet, data is incomplete when it comes to adolescents and youth. Details of clients seen at AYFHS system is monitored at the central level. However, there is a strong need to strengthen the information system to provide evidence for planning and monitoring. Monitoring and reviewing at institutional, divisional, district and provincial levels have to be strengthened in parallel to national level. Further, timely reporting of adolescent deaths in IMMR and register general data have to be ensured.

Research evidence is very much needed for necessary planning and introduction of new innovative interventions.

Strategies

1. Strengthen the information system on adolescent and youth health to provide evidence for planning and monitoring
2. Strengthen research and develop evidence based interventions on adolescent and youth health



Strategy 12.1

Strengthen the information system on adolescent and youth health to provide evidence for planning and monitoring

Major activities

- 12.1.1 Strengthen the routine information systems and monitoring frameworks integrating adolescents and youth health indicators with necessary reviewing and revising to get correct data
- 12.1.2 Conduct regular reviews and monitoring at all levels to share best practices and identify the existing gaps
- 12.1.3 Conduct periodic external evaluations of the adolescent and youth health services

Strategy 12.2

Strengthen research and develop evidence based interventions on adolescent and youth health

Major activities

- 12.2.1 Identify priority areas and advocate for conducting relevant research on adolescent and youth health
- 12.2.2 Incorporate adolescent and youth health indicators to national health surveys (DHS)
- 12.2.3 Test interventions on parenting and peer group involvement





Way forward

The national strategic plan on adolescent and youth health (2018-2025) provide necessary guidance for implementation of adolescent and youth health programme throughout the country for the period of 2018-2025. This will ensure adolescents and youth realizing their full potential for growth and development in a conducive and resourceful physical and psychosocial environment to be healthy, safe and happy in our country. Health workers and many stakeholders hold responsibility in ensuring that the plan is brought in to action and in-cooperated into service delivery.

Family Health Bureau as the national focal point for adolescent and youth health of the Ministry of Health hold the overall responsibility of ensuring the implementation and monitoring of the adolescent and youth health strategic plan (2018-2025). Many stakeholders within the Ministry of Health and outside have responsibility in implementation of the activity plan of the adolescent and youth health strategic plan (2018-2025). All health care workers in both preventive and curative sectors have a big role to play in coordinating and providing advocacy, service delivery and implementation of the plan. Provincial Directors of Health Services with the technical guidance of the Provincial Consultant community Physicians have overall responsibility in implementation of the adolescent and youth health strategic plan (2018-2025) at the provincial level. Regional Directors of Health Services with the support of Medical Officers of Maternal and Child Health and the team have the responsibility of district level implementation of the strategic plan. Medical officers of health and their teams hold the responsibility of implementation of the strategic plan at divisional level with obtaining the support of other stakeholders, young persons and parents at the community level. All the hospitals have the responsibility of making their services adolescent and youth friendly and implementing the activities identified for such service provision. In the hospitals having “Yowun Piyasa Centers” providing adolescent and youth friendly health services, the teams led by the head of the Institution and the consultants carry the responsibility of planning and implementing the identified activities in the strategic plan ensuring reaching national standards for adolescent and youth health services. Further, the preventive and curative sectors have the responsibility to ensure provision of continuum of care with necessary coordination with each other and other relevant stake holders and partner organizations.

The strategic plan on adolescent and youth health 2018-2025 includes a monitoring and evaluation plan. The objectives and key performance indicators are annexed and it is expected from all levels of health care provision to monitor the implementation and impact of using those indicators. A comprehensive monitoring and evaluation framework will be available as a softcopy in the Family health Bureau website to ensure timely achievement of objectives. This monitoring and evaluation plan targets national, provincial, district, hospital and divisional level health care providers and health authorities.



The adolescent and youth health strategic plan (2018-2025) has clearly identified, strategic objectives, strategies and key activities under strategy direction for meeting the goals. The comprehensive action plan to be used at all levels is also included in annexes. Districts level health authorities, the heads of the hospitals and medical officers of health should refer the adolescent and youth health strategic plan (2018-2025) and include relevant activities when developing their annual plans. When developing these annual plans, it is necessary to consider the time frames given under each of the activities in Adolescent and Youth Health Strategic Plan (2018-2025). Coverage of interventions should be monitored at national, provincial, district and divisional levels. Short programme reviews have to be conducted at provincial, district and divisional levels. It is essential to ensure participation of young persons in all stages of implementation of the strategic plan expanding over planning, implementation and monitoring at divisional, district, provincial and national levels. In addition to the governmental organizations it is also important for partner organizations, non-governmental organizations, private sector, professional associations, health worker and community groups to follow the action plan when setting their key activity areas in 2018 -2025 time period for achieving expected level of success.

Costing of the strategic plan will be conducted and made available as next step. It would enable timely and adequate allocation of financial resources to achieve the stated objectives.

Research at national, district and divisional levels are encouraged within the strategic plan. Research on programme implementation will provide necessary evidence for improving quality, access and coverage of interventions for adolescents and youth and help in enhancing community involvement.



Bibliography

1. Department of Census and Statistics, Sri Lanka. Population and Housing [Internet]. 2017 [cited 2017 Apr 29]
Available from:
<http://www.statistics.gov.lk/page.asp?page=Population and Housing>
2. Family Health Bureau. National Strategic Plan on Adolescent Health (2013 - 2017). Published [Internet]. 2013; [Cited 2017 December 10]
Available from:
[ile:///C:/Users/MAC/Downloads/national_strategic_plan_final_part1-3.pdf](file:///C:/Users/MAC/Downloads/national_strategic_plan_final_part1-3.pdf)
3. World Health Organization. The global strategy for women's, children's and adolescents' health. United Nations [Internet]. 2016; [cited 2017 Apr 22].
Available from:
<http://www.who.int/life-course/partners/global-strategy/en/>
4. World Health Organization. Global Accelerated Action for the Health of Adolescents (AA-HA!) Guidance to Support Country Implementation [Internet]. 2017. 9 p. [cited 2017 Apr 29].
Available from:
<http://apps.who.int/iris/bitstream/10665/255415/1/9789241512343-eng.pdf?ua=1>
5. Medical Statistics Unit, Ministry of Health, Nutrition and Indigenous Medicine, Sri Lanka, e Indoor Morbidity and Mortality Register. Colombo; 2018
6. Family Health Bureau, Ministry of Health, Nutrition and Indigenous Medicine, Sri Lanka. National Health Youth Survey 2012/2013 Sri Lanka [Internet]. Colombo; 2015 [cited 2017 Apr 27].
Available from:
http://www.fhb.health.gov.lk/web/index.php?option=com_phocadownload&view=category&id=57:adolescent-and-youth-health&Itemid=150&lang=en#
7. Department of Census & Statistics, Ministry of Policy Planning and Economic Affairs, Sri Lanka. Census of Population and Housing 2012 [Internet]. Colombo; 2015 [cited 2017 Apr 29].
Available from:
<http://www.statistics.gov.lk/PopHouSat/CPH2011/Pages/Activities/Reports/FinalReport/FinalReportE.pdf>
8. Department of Census & Statistics, Ministry of Policy Planning and Economic Affairs, Sri Lanka. Demographic and Health Survey Sri Lanka 2016 [Internet]. Colombo; 2017 [cited 2017 Apr 29].
Available from:
http://www.statistics.gov.lk/social/DHS_2016a/FIST_PAGE_&_CONTENTS.pdf



9. Family Health Bureau, Ministry of Health, Nutrition and Indigenous Medicine, Sri Lanka. eRHMS - electronic Reproductive Health Management Information System (Internet). 2017 [cited 2017 Apr 29]. Available from: <http://erhmis.fhb.health.gov.lk/erhmis/dhis-web-commons/security/login.action>
10. Global School-based Student Health Survey Sri Lanka 2016 Fact Sheet [Internet]. [cited 2017 Apr 29]. Available from: http://www.who.int/ncds/surveillance/gshs/SRH2016_fact_sheet.pdf
11. Global Youth Tobacco Survey 2015 [Internet]. [cited 2017 Apr 29]. Available from: http://www.searo.who.int/tobacco/data/gyts_sri_lanka_2015_factsheet.pdf
12. Kieling C, Baker-Henningham H, Belfer M, Conti G, Ertem I, Omigbodun O, et al. Child and adolescent mental health worldwide: evidence for action. *Lancet* (London, England) [Internet]. 2011 Oct 22 [cited 2017 Apr 29]; Available from: <http://www.ncbi.nlm.nih.gov/pubmed/22008427>
13. Wijeratne MP, Seneviratne R, Gunawardena N, Østbye T, Lynch C. Descriptive study of the psychosocial and physical environments of school in relation to violence among adolescents in the Gampaha District of Sri Lanka. *Sri Lanka J Child Heal* [Internet]. 2015 Sep 12 [cited 2017 Apr 29]; Available from: <https://sljch.sljol.info/article/10.4038/sljch.v44i3.8009/>
14. Jayatissa R, Ranbanda RM. Prevalence of Challenging Nutritional Problems among Adolescents in Sri Lanka. *Food Nutr Bull* [Internet]. 2006 [cited 2017 Apr 29];27(2):153–60. Available from: <http://journals.sagepub.com/doi/10.1177/156482650602700206>
15. Jayatissa R, Gunathilaka MM, Fernando DN. National nutrition and micronutrient survey part i: anaemia among children aged 6-59 months and nutritional status of children and adults [Internet]. Colombo; 2013 [cited 2017 Apr 29]. Available from: https://www.unicef.org/srilanka/MNS_Report-28.02.2013.pdf
16. Allen A, Allen S, Rodrigo R, Perera L, Shao W, Li C, et al. Iron status and anaemia in Sri Lankan secondary school children: A cross-sectional survey. 2017 [cited 2017 Apr 29]; Available from: <http://journals.plos.org/plosone/article/file?id=10.1371/journal.pone.0188110&type=printable>



17. Jayatiisa R, National Nutrition and Micronutrient Study of School Adolescents in Sri Lanka. Presented at Dissemination Meeting at Medical Research Institute; 2018 June 28
18. Ministry of health care and nutrition, Sri Lanka. National Oral Health Survey Report. 2015
19. Goonesekara, Senanayake and de Silva (2012), Using Human Rights to Adolescent Sexual and Reproductive Health of Youth and Adolescents, Report of Sri Lanka Field Test, WHO and Ministry of Health, Sri Lanka
20. Family Health Bureau, Ministry of Health, Nutrition and Indigenous Medicine, Sri Lanka. Standards for Quality Health Services for Adolescents and Youth in Sri Lanka [Internet]. Colombo: 2017 [Cited 2017 April 10]
Available from:
http://fhb.health.gov.lk/web/index.php?option=com_phocadownload&view=category&id=57:adolescent-and-youth-health&Itemid=150&lang=en
21. World Health Organization, Health for the world's adolescents: A second chance in the second decade [Internet]. World Health Organization; 2015 [cited 2017 Apr 30].
Available from:
http://www.who.int/maternal_child_adolescent/documents/second-decade/en/
22. Ministry of Health, Policy Repository (2016) Published (Internet) (cited 2017 Apr 18) http://fhb.health.gov.lk/moh_final/english/public/efinder/files/publications/publishpolicy/policyrepository.pdf
23. Family Health Bureau. National Strategic Plan Maternal and Newborn Health (2017 -2025) Family Health Bureau; 2018.
24. Family Health Bureau. National Strategic Plan on Child Health (2017 -2025) Family Health Bureau; 2018.
25. Ministry of Education Sri Lanka. School Census Report 2017, Ministry of Education; 2018.





	Indicator	Description	Means of Verification	Baseline	Target 2025
01	Mortality among young persons (10-24-year group)	The estimated proportion of adolescents and youth aged 10-24 years died in a specified year due to all causes of mortality. Numerator: Number of all deaths among adolescents and youth aged 10-24 in a specified year. Denominator: Adolescents and youth aged 10-24 years in a specified year.	Department of Census and Statistics (Registrar General Department data)	54 per 100 000 population in (2013)	40 per 100 000
02	Mortality among young persons (10-24-year group) due to accidents	The estimated proportion of adolescents and youth died in a specified year due to road traffic accidents (RTA). Numerator: Number of RTA deaths among adolescents and youth aged 10-24 years , in a specified year Denominator: Adolescents and youth aged 10-24 years in a specified year.	Department of Census and Statistics (Registrar General Department data)	18.5 per 100 000 (2013)	12 per 100 000
03	Mortality among young persons (10-24-year group) due to suicides	The estimated proportion of adolescents and youth aged 10-24 years died in a specified year due to suicide. Numerator: Number of suicide deaths among adolescents Aged 10-24 years, in a specified year Denominator: adolescents and youth aged 10-24 years in a specified year.	Department of Census and Statistics (Registrar General Department data)	10.9 per 100 000 (2013)	5.0 per 100 000



	Indicator	Description	Means of Verification	Baseline	Target 2025
04	Prevalence of wasting(thinness) among adolescents	<p>The proportion of adolescents aged 10–19 years considered having wasting. The standard measurement of wasting to be considered is BMI below minus two standard (-2SD) deviations from median BMI for age and sex, using WHO growth reference for adolescents</p> <p>Numerator: Number of adolescents aged 10–19 years old considered wasted (Further disaggregated by sex).</p> <p>Denominator: Total adolescent respondents aged 10–19 years.</p>	Special Survey (MRI)	26.9% (MRI) (2017)	18%
05	Percentage of adolescents with overweight	<p>The proportion of adolescents aged 10-19 years considered overweight. The standard measurement to be considered overweight is: >+ 1 SD above BMI for age and sex, using WHO growth reference for adolescents.</p> <p>Numerator: Number of adolescents aged 10–19 years old considered overweight.</p> <p>Denominator: Total adolescent respondents aged 10–19 years..</p>	Special Survey MRI GSHS	7.6% (2017)	6%
06	Percentage of adolescents obese	<p>The proportion of adolescents aged 10-19 years considered obese. The standard measurement to be considered obese is: >+ 2 SDs above BMI for age and sex, using WHO growth reference for adolescents.</p> <p>Numerator: Number of adolescents aged 10-19 years old considered obese.</p> <p>Denominator: Total adolescent respondents aged 10-19 years.</p>	Special Survey MRI GSHS	2.2% (2017)	1%



	Indicator	Description	Means of Verification	Baseline	Target 2025
07	Adolescent fertility rate	Annual number of births to adolescents and youth of 15-19 years per 1000 girls in that age group. Numerator: Number of live births to 15-19 year girls Denominator: Girls of age 15-19 years	Census and DHS	30 per 1000 (2016)	25 per 1000
08	Incidence (new infections) of HIV among young persons	The estimated proportion of adolescents and youth aged 10-24 years who got new infections of HIV in a specified year Numerator: Number of new infections of HIV among adolescents and youth aged 10-24 in a specified year. Denominator: Adolescents and youth aged 10-24 years.	NSACP		0 in 2022 (No new infections)
09	Prevalence of anaemia among adolescents	Proportion of adolescents aged 10-19 years who are having haemoglobin a level <12 g/dL (pregnant adolescents and youth <11 g/dL) among adolescents screened for haemoglobin levels Numerator: Number of adolescents with inadequate haemoglobin levels Denominator: Total number of adolescents and youth screened for haemoglobin levels during a specified period	Special Survey MRI	8.5% (2017)	5%
10	Percentage of youth who perceived to be in happy mood	Proportion of youth aged 15-24 years who perceived to be in happy mood among youth responded Numerator: Number of youth who perceived to be in happy mood Denominator: Total number of youth responded	Special Survey NYHS	83% (2012-2013)	90 %



Indicator	Description	Means of Verification	Baseline	Target 2025	
Indicators based on objectives					
11	Percentage of consumption of carbonated drinks among youth	Proportion of youth aged 15–24 years who expressed consumption of carbonated drink among adolescents and youth responded Numerator: Number of youth who expressed consumption of carbonated drink Denominator: Total number of youth responded	Special Survey (NYHS)	44% (2012-2013)	34%
12	Percentage of adolescents engage in physical activity (60min) from 13-17 years school going children	The proportion of adolescents aged 13-17 years who report being physically active for at least 60 minutes per day, five days or more in the last 7 days among adolescents responded Numerator: Number of adolescents aged 13–17 years who have been physically active for at least 60 minutes per day for 5 days or more in the past 7 days. (Further disaggregated by sex). Denominator: Total number of adolescent respondents aged 13–17 years	Special Survey (GSHS)	28% (2016)	35%
13	Percentage of youth between 20-24 years engage in physical activity for 30 min or more per day.	The proportion of youth aged 20-24 years who report being physically active for at least 30 minutes per day, for 5 days in past 7 days among 20-24 years youth responded Numerator: Number of youth aged 20-24 years who have been physical active for at least 30 minutes per days for 5 days in the past 7 days. (Further disaggregated by sex). Denominator: Total number of youth respondents aged 20-24 years	NYHS	NA	Increase by 20%



	Indicator	Description	Means of Verification	Baseline	Target 2025
14	Percentage of alcohol (current) use among 15-24 year group	The proportion of youth aged 15-24 years who had one alcoholic drink at least on one or more days during the past 30 days. Numerator: Number of youth aged 15-24 years old who had one alcoholic drink at least on one or more days during the past 30 days. Denominator: Total number of youth respondents aged 15-24 years.	Special Survey (NYHS)	5.3% (2012-2013)	3%
15	Percentage of smoking (current) among 15-24 year group	The proportion of youth aged 15-24 years who have smoked one or more cigarettes in the past 30 days among youth responded Numerator: Number of youth aged 15-24 year old who have smoked at least one cigarette or more in the past 30 days. (Further disaggregation by sex). Denominator: Total number of 15-24 year group responded	Special Survey (NYHS)	9% (2012-2013)	5%
16	Current use of addictive drugs among youth	The proportion of youth aged 15-24 years who reported addictive substances use in the past 30 days among youth responded Numerator: Number of youth aged 15-24 years who reported using addictive substances in the past 30 days. Denominator: Total number of youth aged 15-24 responded	Special Survey (NYHS)	2.7% (2012-2013)	1.5%



	Indicator	Description	Means of Verification	Baseline	Target 2025
17	Percentage of weekly iron folate supplementation [WIFS] among 10-19-years	Proportion of adolescents aged 10–19 years who have received WIFS among total adolescents responded Numerator: Number of adolescents aged 10–19 years who have received WIFS Denominator: Total number of adolescents aged 10–19 years responded	Special Survey MIS MRI	77.2% (2017)	85%
18	Percentage of 10-19-year group received recommended regimen of Anti helminthic treatment	Proportion of adolescents aged 10–19 years who have received recommended regimen of Anti helminthic treatment among total adolescents responded Numerator: Number of adolescents aged 10–19 years who have received recommended regimen of Anti helminthic treatment Denominator: Total number of adolescents aged 10–19 years responded	Special Survey MIS MRI	68.1% (2017)	80%
19	Percentage of schools providing school meal out of identified number of schools for provision of school meals	Percentage of schools providing school meal out of identified number of schools for provision of school meals Numerator: Number of schools providing school meal Denominator: Total number of schools identified for provision of school meal	Ministry of Education		100%
20	Percentage of grade 12 children received comprehensive sexual and reproductive health education	Percentage of grade 12 children received comprehensive sexual and reproductive health education among grade 12 children responded. Numerator: Number of grade 12 children received comprehensive sexual and reproductive health education Denominator: Total number of grade 12 children responded	Special Survey	NA	85%



	Indicator	Description	Means of Verification	Baseline	Target 2025
21	Percentage of 15-24 year group subjected to bullying	Percentage of youth aged 15-24 years who reported being bullied at least once in the last couple of months among youth of 15-24 years responded . Numerator: Number of youth aged 15-24 years who reported being bullied at least once in the last couple of month. Denominator: Total number of youth of 15-24 year-old responded	Special Survey NYHS	38.5% (2012-2013)	30%
22	Percentage of 15-24 year group subjected to physical violence	Percentage of youth of 15-24 years who have ever reported experiencing physical and/or sexual violence in the past 12 months among youth of 15-24 years responded Numerator: Number of youth of 15-24 years who have ever reported experiencing physical and/or sexual violence in the past 12 months Denominator: Total number of youth of 15-24 years responded	Special Survey NYHS	35% (2012-2013)	25%
23	Percentage of women married before 18 years	Percentage of women got married before 18 years among women in 25-49 years age group responded Numerator: Number of women of 25-49 years who have reported as married before 18 years Denominator: Total number of women in 25-49 years age group responded	DHS	12% (2016)	8%



	Indicator	Description	Means of Verification	Baseline	Target 2025
24	Percentage of parents/ guardians understand the problems of adolescents	Percentage of adolescents of 13-17 years expressed as their parents or guardians understand their problems among adolescents of 13-17 years responded Numerator: Number of adolescents of 13-17 years expressed as their parents or guardians understand their problems Denominator: Total number of adolescents of 13-17 years responded	GSHS	62.6% (2016)	75%
25	Percentage of adolescents who have attempted suicide	Percentage of adolescents of 13-17 years who attempted suicide one or more times during the 12 months before the survey among total number of adolescents responded Numerator: Number of adolescents of 13-17 years who attempted suicide one or more times during the past 12 months Denominator: Total number of adolescents of 13-17 years responded	GSHS	6.8% (2016)	4%
26	Percentage of Medical Officer of Health(MOH) areas delivering adolescent and youth friendly health services	Percentage of Medical Officer of Health(MOH) areas delivering adolescent and youth friendly health services among total MOH areas Numerator: Number of Medical Officer of Health(MOH) areas delivering adolescent and youth friendly health services Denominator: Total number of Medical Officer of Health(MOH) areas	RHMIS	NA	100%
27	Percentage of Medical Officer of Health(MOH) areas conducting adolescent and youth friendly health clinic	Percentage of Medical Officer of Health(MOH) areas conducting adolescent and youth friendly health clinic among total MOH areas Numerator: Number of Medical Officer of Health(MOH) areas conducting adolescent and youth friendly health clinic at least once a month Denominator: Total number of Medical Officer of Health(MOH) areas	RHMIS	NA	100%



	Indicator	Description	Means of Verification	Baseline	Target 2025
28	Percentage of health care facilities delivering adolescent and youth friendly health services	Percentage of health care facilities delivering adolescent and youth friendly health services Numerator: Number of health care facilities delivering adolescent and youth friendly health services Denominator: Total number of health care facilities	Special survey	NA	100%
29	Percentage of districts practicing adolescent and youth friendly health services at all service points for adolescents and youth	Percentage of districts practicing adolescent and youth friendly health services at all service points for adolescents and youth Numerator: Number of districts practicing adolescent and youth friendly health services Denominator: Total number of districts	RHIMS	NA	100%
30	Percentage of youth with minimum Sexual and reproductive health (SRH) knowledge	The proportion of youth aged 15-24 years with minimum Sexual and reproductive health (SRH) knowledge among youth responded Numerator: Number of youth aged 15-24 with minimum Sexual and reproductive health (SRH) knowledge Denominator: Total number of youth aged 15-24 responded	Special Survey NYHS	60% (2016)	70%
31	Percentage of Public Health Midwives (PHMs) trained in Family Planning counselling	Percentage of Public Health Midwives (PHMs) trained in Family Planning counselling among field health PHMs Numerator: Number of PHMs trained in Family Planning counselling Denominator: Total number of field health PHMs	RHIMS	NA	80%



	Indicator	Description	Means of Verification	Baseline	Target 2025
32	Percentage of Public Health Midwives(PHMs) trained in adolescent and youth friendly health services(AVFHS)	Percentage of Public Health Midwives (PHMs) trained adolescent and youth friendly health services among field health PHMs Numerator: Number of field health PHMs trained in adolescent and youth friendly health services Denominator: Total number of field health PHMs	RHMIS	NA	90%
33	Percentage of demand for family planning satisfied with modern methods in girls <19 years	Percentage of girls who are sexually active, whose need for family planning is satisfied with modern methods. Numerator: Number of girls whose family planning demand is satisfied by modern methods. Denominator: Total number of girls who demand family planning	Special Survey DHS	NA	70%
34	Percentage of teenage pregnancy	Percentage of teenage mothers (aged <19 years) registered with PHM out of total pregnant mothers registered Numerator: Teenage pregnant mothers (aged <19 years) registered with PHM Denominator: Total number of pregnant mothers registered with PHM	RHMIS	4.6%	3%
35	Percentage of youth with correct knowledge on HIV/AIDS	The proportion of youth aged 15-24 years with correct knowledge on HIV/AIDS among youth responded Numerator: Number of youth aged 15-24 years with correct knowledge on HIV/AIDS Denominator: Total number of youth aged 15-24 responded	Special Survey NYHS	<54% (2012-2013)	75%



	Indicator	Description	Means of Verification	Baseline	Target 2025
36	Percentage of utilization of adolescent and youth friendly package by adolescents and youth	The proportion of adolescents and youth aged 10-24 years who have utilized AYFHS package during the last 12 months Numerator: Number of adolescents and youth aged 10-24 years who have utilized AYFHS package the last 12 months Denominator: Total number of adolescents and youth responded	Health Facility Surveys	NA	40%
37	Percentage of adolescents of 13-17 years age group reported that they felt lonely most of the time or always during the last 12 months	Percentage of adolescents of 13-17 years age group reported that they felt lonely most of the time or always during the last 12 months Numerator: Number of adolescents of 13-17 years reported that they felt lonely most of the time or always during the last 12 months Denominator: Total number of adolescents of 13-17 years responded	GSHS	8.5% (2016)	4.5%
38	Percentage of adolescents feeling so worried most of the time or always about something, that they could not sleep at night, during the last 12 months	Percentage of adolescents of 13-17 years age group reported feeling so worried most of the time or always about something that they could not sleep at night, during the last 12 months before the survey Numerator: Number of adolescents of 13-17 years reported feeling so worried most of the time or always about something that they could not sleep at night, during the last 12 months before the survey Denominator: Total number of adolescents of 13-17 years responded	GSHS	4.2% (2016)	2.0%

	Indicator	Description	Means of Verification	Baseline	Target 2025
39	Coverage of School Medical Inspection	Percentage of schools with School Medical Inspection conducted out of the total schools under Ministry of Education Numerator: Number of schools with School Medical Inspection completed Denominator: Total number of schools under Ministry of Education	RHMIS	87.5% (2017)	100%
40	Coverage of aTD immunization among grade seven students	Percentage coverage of aTD immunization among grade seven students Numerator: Number of grade seven students who had received of aTD immunization Denominator: Total number of grade seven students	RHMIS	84.1% (2017)	100%
41	Percentage of 15 year old (grade 10) school going adolescents screened for heart disease	Percentage of 15 year old (grade 10) school going adolescents screened for heart disease Numerator: Number of 15 year old (grade 10) school going adolescents screened for heart disease Denominator: Total number of 15 year old (grade 10) students	RHMIS	82%	90%
42	Percentage of 15 year old school going adolescents screened for BMI	Percentage of 15 year old (grade 10) school going adolescents screened for BMI Numerator: Number of 15 year old (grade 10) school going adolescents screened or BMI Denominator: Total number of 15 year old (grade 10) students in schools under Ministry of Education	RHMIS	82%	90%





	Indicator	Description	Means of Verification	Baseline	Target 2025
43	Percentage with low BMI among 15 year old school going adolescents	<p>Denominator: Percentage of 15 year old (grade 10) school going adolescents with low BMI(BMI for age<-2SD) out of total screened in (grade 10) in schools under Ministry of Education</p> <p>Numerator: Number of 15 year old (grade 10) school going adolescents with low BMI (BMI for age< -2SD)</p> <p>Denominator: Number of 15 year old (grade 10) school going adolescents screened for BMI</p>	RHMIS	15.8% (2017)	12%
44	Percentage with overweight among 15 year old (grade 10) school going adolescents	<p>Denominator: Percentage of 15 year old (grade 10) school going adolescents with over weight (BMI for age>+1 SD) out of total screened in (grade 10) in schools under Ministry of Education</p> <p>Numerator: Number of 15 year old (grade 10) school going adolescents with overweight(BMI for age> +1 SD)</p> <p>Denominator: Number of 15 year old (grade 10) school going adolescents screened for BMI</p>	Special survey	5.5%(2017)	No further increases
45	Percentage of obese among 15 year old (grade 10) school going adolescents	<p>Denominator: Percentage of 15 year old (grade 10) school going adolescents obese (BMI for age>+2 SD) out of total screened in (grade 10) in schools under Ministry of Education</p> <p>Numerator: Number of 15 year old (grade 10) school going adolescents with Obesity (BMI for age> +2 SD)</p> <p>Denominator: Number of 15 year old (grade 10) school going adolescents screened for BMI</p>	Special survey RHMIS	1.8%(2017)	1%



	Indicator	Description	Means of Verification	Baseline	Target 2025
46	Percentage of public health staff trained on life skill education	<p>Denominator: AMOHs, RSPHNOs, SPHIDs, PHNS,SPHIs, SPHMs, PHIs, PHMS) trained on life skill education out of total number available</p> <p>Numerator: Number of public health staff(MOMCHs, MOHs, AMOHs, ,RSPHNOs, SPHIDs, PHNS,SPHIs, SPHMs, PHIs, PHMs) trained on life skill education</p> <p>Denominator: Total number of public health staff(MOMCHs, MOHs, AMOHs, ,RSPHNOs, SPHIDs, PHNS,SPHIs, SPHMs, PHIs, PHMs) available</p>	RHMIS	NA	75%
47	Percentage of public health staff trained on Adolescent and Youth friendly health services	<p>Percentage of public health staff(MOMCHs, MOHs, AMOHs, ,RSPHNOs, SPHIDs, PHNS,SPHIs, SPHMs, PHIs, PHMs) trained on Adolescent and Youth friendly health services out of total number available</p> <p>Numerator: Number of public health staff(MOMCHs, MOHs, AMOHs, ,RSPHNOs, SPHIDs, PHNS,SPHIs, SPHMs, PHIs, PHMs) trained on Adolescent and Youth friendly health services</p> <p>Denominator: Total number of public health staff(MOMCHs, MOHs, AMOHs, ,RSPHNOs, SPHIDs, PHNS,SPHIs, SPHMs, PHIs, PHMs) available</p>	RHMIS	NA	75%



	Indicator	Description	Means of Verification	Baseline	Target 2025
48	Percentage of hospital AYFHS center staff trained on Adolescent and Youth friendly health services	Percentage of AYFHS center staff(Medical Officers, Nursing Officers and supportive staff) trained on Adolescent and Youth friendly health services out of total number available Numerator: Number of AYFHS center staff(Medical Officers, Nursing Officers and supportive staff) trained on Adolescent and Youth friendly health services Denominator: Total number of AYFHS center staff(Medical Officers, Nursing Officers and supportive staff)	RHMIS	80%	100%
49	Percentage of Medical Officer of Health(MOH) areas conducting outreach activity on Adolescent and Youth Health	Percentage of Medical Officer of Health(MOH) areas conducting at least one out reach activity for adolescent and youth per month among total MOH areas Numerator: Number of Medical Officer of Health(MOH) areas conducting at least one out reach activity for adolescent and youth per month Denominator: Total number of Medical Officer of Health(MOH) areas	RHMIS	NA	80%
50	Percentage of Medical Officer of Health(MOH) areas ensuring peer involvement	Percentage of Medical Officer of Health(MOH) areas conducting at least one peer involvement activity(peer education/meeting) for adolescent and youth per quarter Numerator: Number of Medical Officer of Health(MOH) areas conducting at least one peer involvement activity(peer education/meeting) for adolescent and youth per quarter Denominator: Total number of Medical Officer of Health(MOH) areas	RHMIS	NA	50%

	Indicator	Description	Means of Verification	Baseline	Target 2025
51	Prevalence of Dental Caries among 12 year old (grade 7) school going adolescents	Percentage of 12 year old (grade 7) school going adolescents found with Dental Caries among 12 year old (grade 7) school going adolescents screened for oral health Numerator: Number of 12 year old (grade 7) school going adolescents found with Dental Caries Denominator: Total number of 12 year old (grade 7) school going adolescents screened for oral health	MIS NOHS	30.4% (NOHS 2015)	20%
52	Prevalence of Calculus among 12 year old (grade 7) school going adolescents	Percentage of 12 year old (grade 7) school going adolescents found with Calculus among 12 year old (grade 7) school going adolescents screened for oral health Numerator: Number of 12 year old (grade 7) school going adolescents found with Calculus Denominator: Total number of 12 year old (grade 7) adolescents screened for oral health	MIS NOHS	47% (NOHS 2015)	25%
53	Percentage of 12 Year old (Grade 7) school children screened by School Dental Therapist	Percentage of 12 year old (grade 7) school going adolescents, screened by School Dental Therapist among 12 year old (grade 7) school going adolescents Numerator: Number of 12 year old (grade 7) school going adolescents, screened by School Dental Therapist Denominator: Total number of 12 year old (grade 7) adolescents screened	MIS	80%	100%





	Indicator	Description	Means of Verification	Baseline	Target 2025
54	Percentage of 12 Year old (Grade 7) school children treatment completed by School Dental Therapist	Percentage of 12 year old (grade 7) school going adolescents treatment completed by School Dental Therapist among 12 year old (grade 7) school going adolescents identified with dental issues Numerator: Number of 12 year old (grade 7) school going adolescents treatment completed by School Dental Therapist Denominator: Total number of 12 year old (grade 7) adolescents screened for oral health issues	MIS	77% (2017)	100%
55	Prevalence of Dental Caries among 15year (grade 10) school going adolescents	Percentage of 15year (grade 10) school going adolescents found with Dental Caries among 15year (grade 10) school going adolescents screened for oral health Numerator: Number of 15year (grade 10) school going adolescents found with Dental Caries Denominator: Total number 15year (grade 10) school going adolescents screened for oral health	NOHS	41.5% (2015)	25%
56	Prevalence of Calculus of 15 year (Grade 10) school children	Percentage of 15year (grade 10) school going adolescents found with Calculus among 15year (grade 10) school going adolescents screened for oral health Numerator: Number of 15 year (grade 10) school going adolescents found with Dental Calculus Denominator: Total number 15year (grade 10) school going adolescents screened for oral health	MIS NOHS	49.3% (2015)	15%

Additional sources of data that could be used for annual assessment of above indicators

Number of the indicator	Name of the indicator	Source	Frequency of assessment
01	Mortality among young persons (10-24-year group)	e IMMR	Annual
02	Mortality among young persons (10-24-year group) due to accidents	Police Department	Annual
03	Mortality among young persons (10-24-year group) due to suicides	Police Department	Annual
04	Percentage of adolescents with low BMI by grade(by grade 7 and grade 10 separately)	Nutrition Month data	Annual
05	Percentage of adolescents with overweight by the grade(by grade 7 and grade 10 separately)	Nutrition Month data	Annual
06	Percentage of adolescents obese grade(by grade 7 and grade 10 separately)	Nutrition Month data	Annual
07	Percentage of weekly Iron folate supplementation [WIFS] among adolescents(10- 19 year group)	RHMIS	Annual
08	Percentage of 10-19-year group received recommended regimen of Anti helminthetic treatment	RHMIS	Annual
09	Percentage of teenage pregnancy <16 years	RHMIS	Annual
10	Percentage of teenage pregnancy Of > 16 and <18 years	RHMIS	Annual
11	Percentage of teenage pregnancy 18 and above	RHMIS	Annual





	Strategic Direction / Strategies / Major activities	Responsibility	Time frame														
			2018	2019	2020	2021	2022	2023	2024	2025							
Strategy Direction 1	To ensure leadership, governance, financing and accountability for adolescent and youth health																
1.1	Ensure the mechanisms to provide policy guidance to adolescent and youth health programme at all levels	DDGPHS11, FHB	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
	1.1.1	Advocate for a high-level steering committee chaired by President's Secretary/ prime minister to strengthen the multi-sectoral coordination to improve adolescent and youth health															
	1.1.2	Continue the conduction of National Steering Committee/ Technical Advisory Committee for Young Persons' Health and National Coordinating Committee School Health regularly	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
	1.1.3	Establish district/ provincial level coordinating committees on young persons' health	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
	1.1.4	Advocate for a single inter-ministerial plan, budget and monitoring and evaluation framework for adolescent and youth health	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X





Strategic Direction / Strategies / Major activities	Responsibility	Time frame								
		2018	2019	2020	2021	2022	2023	2024	2025	
1.1.5	" Advocate for development of infrastructure of all schools to address students' physical needs to promote learning of all students including institutionalized children and differently abled students	X	X	X	X	X	X	X	X	X
1.2	1.2.1	X	X	X						
	Enact laws, regulations and policies to ensure protective, supportive and healthy environment for adolescents and youth									
	1.2.2	X	X	X	X	X	X	X	X	X
	Advocate and assist the implementation of the recommendations of the report on "Review of Laws, Regulations and Policies of Adolescent Sexual and Rproductive Health"									
	1.2.3	X	X	X	X	X	X	X	X	X
	Advocate, revise and assist in implementation of child protection laws and policies including laws on abuse, corporal punishment, bullying and violence									
	1.2.4	X	X	X	X	X	X	X	X	X
	Advocate and assist the implementation of the existing law and regulations on substance use including tobacco, alcohol and illicit drugs									



	Strategic Direction / Strategies / Major activities	Responsibility	Time frame									
			2018	2019	2020	2021	2022	2023	2024	2025		
	1.4.2	Develop and implement targeted programs based on evidence with regard to vulnerable and marginalized adolescent and youth	X	X	X	X	X	X	X	X	X	X
1.5	1.5.1	Include adolescent and youth health indicators into routine RHMIS and monitoring mechanism	X	X	X							
		Strengthen accountability of government sectors, civil society organizations, academia, the business community, media, funders, other stakeholders and young persons on adolescent and youth health outcomes										
	1.5.2	Ensure participation of all stakeholders and adolescent and youth in developing plans and programming, monitoring and evaluation of implementation	X	X	X	X	X	X	X	X	X	X
	1.5.3	Establish a monitoring system to review the incidences related to adolescent and youth, reported in mass media	X	X	X	X	X	X	X	X	X	X
	1.5.4	Advocate for establishing an arbitrary body for school going children rights	X	X	X	X	X	X	X	X	X	X



Strategy Direction	Strategic Direction / Strategies / Major activities	Responsibility	Time frame									
			2018	2019	2020	2021	2022	2023	2024	2025		
2	Strengthen positive development of adolescent and youth											
2.1	2.1.1	Ensure health promotion at schools and training centers	2.1.1	Evaluate all the schools and other educational institutions for status of health promotion and accredited based on evaluation	FHB,HPB, PDHS,RDHS	X	X	X	X	X	X	X
2.2	2.2.1	Ensure online protection of adolescent and youth	2.2.1	Advocate for enacting regulations on restricting certain web sites	FHB,HPB,PCs (SLCP,SLCCR, SLCOG, CCP)	X	X	X	X	X	X	X
	2.2.2		2.2.2	Educate parents on online protection of the adolescent and youth	FHB,HPB, PDHS,RDHS	X	X	X	X	X	X	X
2.3	2.3.1	Ensure adolescent and youth participation in all levels of AYFHS programme	2.3.1	Facilitate adolescent and youth participation and involvement in programme design, implementation and monitoring and evaluation of AYFHS	FHB,HPB, PDHS	X	X	X	X	X	X	X
2.4	2.4.1	Establish e health and m health intervention for health education for adolescents and youth	2.4.1	Explore the potential of adolescent e-health and m-health interventions focused on particular issues such as chronic illness management,tobacco cessation and sexual reproductive health with a variety of approaches	FHB,HPB,PCs (SLCP,SLCCR, SLCOG, CCP)	X	X	X	X	X	X	X



			Strategic Direction / Strategies / Major activities	Responsibility	Time frame								
					2018	2019	2020	2021	2022	2023	2024	2025	
2.5	Ensure provision of school education up to grade 13 for all adolescents	2.5.1	Strengthen monitoring school dropout closely at schools	FHB,PDHS, RDHS	X	X	X	X	X	X	X	X	X
		2.5.2	Strengthen follow up of school dropouts at the field by public health staff	PDHS, RDHS	X			X	X	X	X		



	Strategic Direction / Strategies / Major activities	Responsibility	Time frame								
			2018	2019	2020	2021	2022	2023	2024	2025	
3.2	Improve the capacity of health staff to deal with health issues among adolescents and youth	FHB,HPB, NSACP,PCs (SLCCP, SLCP,SLCOG, CCP)	X	X	X	X	X				
	3.2.1	Review and revise the basic and in-service curricula for medical officers, nurses, PHMs and PHIs to incorporate the knowledge, attitudes and skills for identification and management of adolescents and youth health issues	X	X	X	X	X				
	3.2.2	"Adopt new methodologies to teach sensitive subject areas related to adolescents and youth health	X	X	X	X	X				X
	3.2.3	Strengthen the training of the health care workers using orientation programme on adolescents and youth health (AYFHS centers, other service delivery points such as outpatient departments)	X	X	X	X	X				X
3.3	Improve the capacity of non-health staff to deal with health issues among adolescents and youth	FHB	X	X	X	X					
	3.3.1	Incorporate adolescent and youth health module into the curriculum of youth training institutions and vocational training institutions	X	X	X	X					
	3.3.2	Review and revise curricula incorporating adolescent and youth health for the training curricula of teaching instructors	X	X	X	X	X				



	Strategic Direction / Strategies / Major activities	Responsibility	Time frame												
			2018	2019	2020	2021	2022	2023	2024	2025					
	3.3.3	Strengthen the training of the non-health workers working with adolescents and youth using orientation programme	X	X	X	X	X	X	X	X	X	X	X	X	X
	3.3.4	Adopt new methodologies to teach sensitive subject areas related to adolescents and youth health for young persons	X	X	X	X	X	X	X	X	X	X	X	X	X
3.4	3.4.1	Strengthen the health promotion at schools including school health services to cater for adolescents and youth	X	X	X	X	X	X	X	X	X	X	X	X	X
	3.4.2	Review, revise and strengthen school oral health services	X	X	X	X	X	X	X	X	X	X	X	X	X
	3.4.3	Advocate for dental trauma prevention and management through school oral health services	X	X	X	X	X	X	X	X	X	X	X	X	X
	3.4.4	Strengthen the counseling services and referral pathways for identified health and psychosocial issues in schools	X	X	X	X	X	X	X	X	X	X	X	X	X



Strategy Direction 4	Strategic Direction / Strategies / Major activities	Responsibility	Time frame															
			2018	2019	2020	2021	2022	2023	2024	2025								
4.1	Promote psychosocial wellbeing of adolescents and youth																	
4.1	Strengthen the life skills among adolescents and youth	4.1.1	Advocate ministry of education for active participation of students in school extracurricular activities e.g. health clubs, team games, spiritual and other activities	FHB,PCs (SLCCP,SLCP, SLCOG, CCP)	X	X	X	X	X	X	X	X	X	X	X	X	X	X
		4.1.2	Incorporate life skill development to school and other curricula (e.g. higher education, youth and vocational training)	FHB,HPB	X	X	X	X	X	X	X	X	X	X	X	X	X	X
		4.1.3	Promote positive social interactions within all school communities and training centers	FHB,HPB	X	X	X	X	X	X	X	X	X	X	X	X	X	X
4.2	Ensure early identification and appropriate management of adolescents and youth with physical, mental and psychosocial issues	4.2.1	Introduce a suitable screening tool to identify developmental delays and psychosocial issues among adolescents and youth through school health programme	FHB,MHU,PC (SLCPsy, SLCP,SLCCP, SLCOG,CCP)	X	X	X	X	X	X	X	X	X	X	X	X	X	X
		4.2.2	Strengthen the counseling services in schools and other settings	FHB, MHU, PC(SLCPsy, SLCP,SLCOG, CCP,SLCCP)	X	X	X	X	X	X	X	X	X	X	X	X	X	X



	Strategic Direction / Strategies / Major activities	Responsibility	Time frame									
			2018	2019	2020	2021	2022	2023	2024	2025		
	4.3.4	Promote Publishing positive case studies on good parenting	FHB,HPB, PDHS, RDHS,PC (SLCP,SLCP, SLCOG, CCP)	X	X	X	X	X	X	X	X	X
	4.3.5	Develop information education and communication (IEC) material on parenting for adolescents and youth	FHB,HPB, PDHS, RDHS,PC (SLCP,SLCOOG, CCP,SLCCP)	X	X	X						
	4.3.6	Develop material for adolescents and youth on how to manage stress, time, critical thinking, decision making and career guidance (audio visual aids, Instagram posts etc.)	FHB,PC (SLCP,SLCOOG, CCP,SLCCP)	X	X	X	X					
4.4	4.4.1	Advocate for increasing opportunities for aesthetic and recreational activities in school timetable and at the community level	FHB,PC (SLCP,SLCOOG, CCP,SLCCP)	X	X	X	X	X	X	X	X	X
	4.4.2	Advocate for adolescents and youth friendly school and training center with supportive and safe environment, free from bullying, violence and abuse	FHB,PC (SLCP,SLCOOG, CCP,SLCCP)	X	X	X	X	X	X	X	X	X
		Ensure safe, supportive environment at home, school, community and other institutions free from bullying, violence and abuse										



		Strategic Direction / Strategies / Major activities	Responsibility	Time frame								
				2018	2019	2020	2021	2022	2023	2024	2025	
	4.5.4	Establish guidelines for media highlighting the importance of avoiding detailed descriptions of suicidal acts, sensationalism, glamorization and oversimplification and use of responsible language	FHB,MH,NCD UNITS,PC (SLCPSYCH, SLCP,SLCOG, CCP,SLCCP)		X	X	X	X	X	X	X	
	4.5.5	Establish online suicide prevention strategies or short messenger service including self-help programmes and professional help	FHB,MH,NCD UNITS,PC (SLCPSYCH, SLCP,SLCOG, CCP,SLCCP)			X	X	X	X	X		
	4.5.6	Conduct awareness campaigns to reduce stigma, promote help-seeking and access to care with special focus on vulnerable groups	FHB,MH,NCD UNITS,PC (SLCPSYCH, SLCP,SLCOG, CCP,SLCCP)	X	X	X	X	X	X	X		X
	4.5.7	Capacity building of the gate keepers on identifying adolescents and youth at risk and referring at-risk individuals for treatment	FHB,MH,NCD UNITS,PC (SLCPSYCH, SLCP,SLCOG, CCP,SLCCP)	X	X	X	X	X	X	X		X
	4.5.8	Establish helplines that adolescents and youth can access in crisis e.g. with peer assistance.	FHB,MH,NCD UNITS,PC (SLCPSYCH, SLCP,SLCOG, CCP,SLCCP)				X	X	X	X		X
	4.5.9	Capacity building of primary health-care workers to recognize depression, suicide risk, substance use disorders and other mental health issues	FHB,MH,NCD UNITS,PC (SLCPSYCH, SLCP,SLCOG, CCP,SLCCP)	X	X	X	X	X	X	X		X



Strategic Direction / Strategies / Major activities	Responsibility	Time frame							
		2018	2019	2020	2021	2022	2023	2024	2025
4.5.10 Establish a strong follow-up system and support for adolescents and youth discharged after suicide attempts in the community	FHB;MH, NCD UNITS, PC (SLOPSYCH, SLCP,SLCOG, CCP,SLCCP)	X	X	X	X	X	X	X	X



Strategy Direction	Ensure optimal level of nutrition, physical activity, hygiene and sanitation	5.1	Strategic Direction / Strategies / Major activities	Responsibility	Time frame									
					2018	2019	2020	2021	2022	2023	2024	2025		
5.1	Create an enabling environment to promote healthy eating	5.1.1	Advocate to strengthen regulatory mechanisms for advertisements on food and beverages	FHB, NCoD, ND, NCD, PC(SLC), CP, SLC, SLC OG, CCP)	X	X	X	X	X	X	X	X	X	X
		5.1.2	Advocate for improving food labelling to facilitate healthy choices e.g. Front of pack labelling, traffic light systems, healthy logos, etc.	FHB, NCoD, ND, NCD, EOH & FS, PC(SLCP, SLCOG, CCP, SLCOP)	X	X	X	X	X	X	X	X	X	X
		5.1.3	Advocate for introducing pricing systems to increase price of unhealthy foods and reduce the price of healthy foods	FHB, NCoD, ND, NCD, EOH & FS, PC(SLCP, SLCOG, CCP, SLCOP)	X	X	X	X	X	X	X	X	X	X
		5.1.4	Advocate for implementation of the healthy canteen policy in schools and extend the implementation to universities, vocational training centers, etc.	FHB, NCoD, ND, NCD, EOH & FS, PC(SLCCP, SLCR, SLCOG, CCP)	X	X	X	X	X	X	X	X	X	X
		5.1.5	Advocate for educating on healthy eating at schools, training centers and in the community	FHB, NCoD, ND, NCD, EOH & FS, PC(SLCCP, SLCR, SLCOG, CCP)	X	X	X	X	X	X	X	X	X	X

			Strategic Direction / Strategies / Major activities	Responsibility	Time frame									
					2018	2019	2020	2021	2022	2023	2024	2025		
5.2	Improve knowledge and skills of adolescents and youth on healthy eating	5.2.1	Develop social marketing campaign to promote healthy eating, physical activity and healthy life styles targeting both young persons and parents	FHB, NCoD, ND, NCD	X		X	X	X	X				
		5.2.2	Advocate Ministry of Education to include lessons on healthy eating, nutrition, nutritional assessments, physical activity and gardening to school curricula	FHB	X	X		X						
5.3	Strengthen comprehensive school nutrition services	5.3.1	Establish and implement standards for meals provided in school	FHB, NCoD, ND, NCD	X	X	X	X	X					
		5.3.2	Strengthen implementation of healthy canteen policy at schools, sport facilities, training centers and youth work places	FHB, NCoD, ND, NCD	X	X	X	X	X	X				X
5.4	Strengthen early identification and management of nutritional issues	5.4.1	Scale up the establishment of facilities at schools, universities and vocational training centers for enabling nutritional self-assessment	FHB, NCoD, ND, NCD	X	X	X	X	X	X				X
		5.4.2	Introduce yearly medical assessments adolescents and youth at universities and other training centers	FHB, PDHS, RDHS	X	X	X	X						





	Strategic Direction / Strategies / Major activities	Responsibility	Time frame										
			2018	2019	2020	2021	2022	2023	2024	2025			
	5.4.3	Scale up and streamline the weekly iron folic acid supplementation at schools and seek the possibility of extending to other institutions	FHB		X	X	X	X					
	5.4.4	Strengthen nutrition clinics at MOH offices and hospitals as referral centers	FHB,PDHS, RDHS	X	X	X	X	X	X	X	X	X	X
	5.4.5	Establish family-based, multi-component, lifestyle and weight management services for adolescents and youth with the involvement of multi-professional teams	FHB,NGoD, ND,NCD,HD	X	X	X	X	X	X	X	X	X	X
5.5	5.5.1	Create enabling environment to promote physical activity	FHB,NCD, PDHS,RDHS	X	X	X	X	X	X	X	X	X	X
	5.5.2	Streamline the regulations on time allocated for physical activity in schools	FHB	X	X	X	X	X	X	X	X	X	X
	5.5.3	Advocate to have adequate facilities at school premises, youth training centers, workplaces and public spaces for enabling physical activity during recreational time for all adolescents and youth including disabled	FHB,NCD, PDHS,RDHS	X	X	X	X	X	X	X	X	X	X



		Strategic Direction / Strategies / Major activities	Responsibility	Time frame								
				2018	2019	2020	2021	2022	2023	2024	2025	
	5.5.4	Increase the awareness among adolescents and youth, their parents, caregivers, teachers and health professionals on healthy body size, physical activity, correct sleeping behaviours and appropriate use of screen-time	FHB,NCD, PDHS,RDHS	X	X	X	X	X	X	X	X	X
	5.5.5	Promote regular, structured sports activities among adolescents and youth while ensuring the linkages with physical activity, sports and health	FHB,NCD	X	X	X	X	X	X	X	X	X
5.6	5.6.1	Improve hygiene and sanitation Advocate for adequate toilet facilities (for girls and boys separately) with continuous water supply and cleaning mechanism in school, training centers and universities	FHB	X	X	X	X	X	X	X	X	X
	5.6.2	Advocate for availability of safe drinking water in schools, training centers and universities	FHB	X	X	X	X	X	X	X	X	X
	5.6.3	"Advocate for provision of hand washing facilities at schools, training centers and universities	FHB	X	X	X	X	X	X	X	X	X



Strategy Direction	Ensure access to SRH education and services	Strategic Direction / Strategies / Major activities	Responsibility	Time frame								
				2018	2019	2020	2021	2022	2023	2024	2025	
6.1	6.1.1	Streamline the age appropriate SRH education through school and other curricula	FHB, NSACP, P C(SLCOG, SLC CP, SLCP, CCP)	X	X	X	X	X	X	X	X	X
	6.1.2	Advocate for implementation of the policy on compulsory basic age appropriate components of SRH education from grade 6 upwards	FHB, NSACP, P C(SLCOG, SLC CP, SLCP, CCP)	X	X	X	X					
	6.1.3	Review and revise school curricula and other curricula based on new evidence on SRH	FHB, NSACP, P C(SLCOG, SLC CP, SLCP, CCP)	X	X	X	X					
	6.1.4	Develop and implement educational package through media and other means of communication used by adolescents and youth	FHB, HPB	X	X	X	X	X	X	X	X	X
	6.1.5	Introduce educational material on SRH in sign language and braille language	FHB, NSACP, P C(SLCOG, SLC CP, SLCP, CCP)	X	X	X	X	X	X	X	X	X



	Strategic Direction / Strategies / Major activities	Responsibility	Time frame									
			2018	2019	2020	2021	2022	2023	2024	2025		
6.2	Strengthen the SRH services for adolescents and youth	FHB,NSACP,P C(SLCOG,SLC CP,SLCP,CCP)	X	X	X	X	X	X	X	X	X	X
	6.2.1	Review and revise the existing laws and regulations to remove barriers for adolescents and youth to access SRH services e.g. legalizing termination of pregnancy for under 16 year pregnant category with unwanted pregnancies	X	X	X	X	X	X	X	X	X	X
	6.2.2	Empower health workers to deal with SRH issues and provision of family planning for adolescents and youth with the assurance of privacy, confidentiality and dignity	X	X	X	X	X	X	X	X	X	X
	6.2.3	Continue provision of quality care on pre-pregnancy, pregnancy, childbirth, post-partum and post abortion as relevant to adolescents	X	X	X	X	X	X	X	X	X	X
	6.2.4	Strengthen prevention, detection and treatment services for STI and HIV	X	X	X	X	X	X	X	X	X	X
	6.2.5	Establish facilities for SRH specific counselling and guidance at health facilities for adolescents and youth FHB,PDHS,RDHS	X	X	X	X	X	X	X	X	X	X
	6.2.6	Advocate law-implementing authorities and child care officials on the needs of respectful care and the confidentiality maintenance in issues related to adolescents and youth	X	X	X	X	X	X	X	X	X	X



	Strategic Direction / Strategies / Major activities	Responsibility	Time frame								
			2018	2019	2020	2021	2022	2023	2024	2025	
	6.2.7 Advocate for establishing safe home facilities for teenage pregnant mothers as appropriate	FHB,PC (SLCOG, SLCCP, SLCR,CCP)	X	X	X	X	X	X	X	X	X
	6.2.8 Strengthen the SRH services for adolescents and youth with special need and socially deprived e.g. prisoners, war affected groups, with special needs, etc.	FHB,PDHS, RDHS	X	X	X	X	X	X	X	X	X
	6.2.9 Strengthen the services for child abuse cases		X	X	X	X	X	X	X	X	X
	6.2.10 Advocate child protection authority to prevent perpetrators having chances to engage in abusing children continuously, by having a registry of perpetrators and keeping them away from jobs related to children	FHB,PC (SLCOG, SLCCP, SLCR, CCP)	X	X	X	X	X	X	X	X	X
6.3	6.3.1 Ensure formal education for teenage pregnant adolescents	FHB,PC (SLCOG, SLCCP, SLCR,CCP)	X	X	X	X	X	X	X	X	X



	Strategic Direction / Strategies / Major activities	Responsibility	Time frame									
			2018	2019	2020	2021	2022	2023	2024	2025		
	7.1.6	"Advocate for implementation of smoke free environment at school, work place and public transport	X	X	X	X	X	X	X	X	X	X
7.2	7.2.1 Reduce the affordability of tobacco and alcohol	Advocate to reduce affordability for tobacco products by increasing tobacco excise taxes	X	X	X	X	X	X	X	X	X	X
	7.2.2	Advocate restricting alcohol availability and affordability by reducing demand through taxation and pricing	X	X	X	X	X	X	X	X	X	X
7.3	7.3.1 Ensure banning advertising tobacco and alcohol	Advocate to enforce comprehensive bans on tobacco advertising, promotion and sponsorship, including, internet, social media and cross-border advertising	X	X	X	X	X	X	X	X	X	X
	7.3.2	Advocate to regulate the marketing of alcohol to adolescents; raise awareness and support for policies; and implement interventions for the harmful use of alcohol	X	X	X	X	X	X	X	X	X	X
7.4	7.4.1 Strengthen services available for quitting and rehabilitation from tobacco, alcohol and addictive substances	"Establish medical services to support quitting and rehabilitation from tobacco, alcohol and addictive	X	X	X	X	X	X	X	X	X	X



Strategy Direction	"Prevent accidents, injuries and violence among adolescents and youth"	8.1	8.1.1	Advocate for education of laws and regulations to reduce road traffic accidents among adolescents and youth e.g. Helmet policy, policies related to three-wheeler driving, etc.	FHB, NCD, PC (SLCCP, SLOP, SLOS, CCP)	Time frame								
						2018	2019	2020	2021	2022	2023	2024	2025	
8.1	Ensure accidents and injury free environment for adolescents and youth	8.1	8.1.1	Advocate for education of laws and regulations to reduce road traffic accidents among adolescents and youth e.g. Helmet policy, policies related to three-wheeler driving, etc.	FHB, NCD, PC (SLCCP, SLOP, SLOS, CCP)	X	X	X	X	X	X	X	X	X
			8.1.2	Advocate for setting the legal age for allowing alcohol consumption to 21 years	FHB, NCD, PC (SLCCP, SLOP, SLOS, CCP)	X	X	X	X					
			8.1.3	Advocate for a graduated licensing system such as first an extended learner period involving training and low-risk, supervised driving; then a license with temporary restrictions; and finally, a full license	FHB, NCD, PC (SLCCP, SLOP, SLOS, CCP)	X		X	X	X				
			8.1.4	Advocate for infrastructural engineering measures for road network (e.g. speed humps, mini-roundabouts, designated pedestrian crossings, road lighting or surface treatment and one-way street and traffic calming measures)	FHB, NCD, PC (SLCCP, SLOP, SLOS, CCP)	X	X	X	X	X	X	X	X	X



	Strategic Direction / Strategies / Major activities	Responsibility	Time frame								
			2018	2019	2020	2021	2022	2023	2024	2025	
8.1.5	Advocate for setting vehicle safety standards	FHB,NCD,PC (SLCCP,SLCP, SLCS, CCP)	X	X	X	X	X	X			
8.1.6	"Use case studies to educate adolescents and youth regarding accident and injury prevention	FHB,NCD, PDHS,RDHS	X	X	X	X	X	X	X	X	X
8.1.7	Set standards on play grounds, swimming pools and sports complexes at schools and strengthen the implementation	FHB,NCD,PC (SLCCP,SLCP, SLCS, CCP)	X		X	X	X	X	X	X	X
8.1.8	Advocate to raise the awareness on road safety rules, regulations and laws through school curriculum	FHB,NCD,PC (SLCCP,SLCP, SLCS, CCP)	X	X	X	X	X	X	X	X	X
8.1.9	Implement community campaigns to ensure road safety and prevent other accidents such as drownings and falls	FHB,NCD, PDHS,RDHS	X	X	X	X	X	X	X	X	X
8.2	Ensure proper management of injuries and accidents	FHB,NCD,PC (SLCCP,SLCP, SLCS, CCP)			X	X	X	X	X	X	X
8.2.1	Introduce compulsory training on First Aid for adolescents and youth through schools, universities and vocational training centers using Red cross, St. Johns, Scouting and etc.	FHB,NCD,PC (SLCCP,SLCP, SLCS, CCP)			X	X	X	X	X	X	X
8.2.2	Strengthen the emergency management services at hospitals	FHB,NCD, PDHS, RDHS,HD	X	X	X	X	X	X	X	X	X



		Strategic Direction / Strategies / Major activities	Responsibility	Time frame								
				2018	2019	2020	2021	2022	2023	2024	2025	
8.3	Ensure reduction of violence among adolescents and youth	8.3.1 Advocate for legislations for reducing access to and misuse of firearms and explosive substances	FHB,NCD,PC (SLCOP,SLCP, SLCS, CCP)	X	X	X	X	X	X			
		8.3.2 Advocate for deploying police resources in areas where crime is prevalent	FHB,NCD,PC (SLCOP,SLCP, SLCS, CCP)	X	X	X	X	X	X	X		X
		8.3.3 Advocate to raise the awareness on road safety rules, regulations and laws regarding the violence and abuse to school curriculum	FHB,NCD,PC (SLCOP,SLCP, SLCS, CCP)	X	X	X	X	X	X	X	X	
		8.3.4 Advocate to implement and enforce of laws: ban violent punishment at schools and workplaces, criminalizing sexual abuse and exploitation of children	FHB,NCD,PC (SLCOP,SLCP, SLCS, CCP)	X	X	X	X	X	X	X	X	X
		8.3.5 Strengthen parent and caregiver support through home visits, community approaches and comprehensive programmes	FHB,NCD, PDHS,RDHS	X	X	X	X	X	X	X	X	X
		8.3.6 Conduct like skill training programmes for adolescents and youth including anger management	FHB,NCD, PDHS,RDHS	X	X	X	X	X	X	X	X	X



		Strategic Direction / Strategies / Major activities	Responsibility	Time frame								
				2018	2019	2020	2021	2022	2023	2024	2025	
	8.3.7	Advocate to implement response and support services for adolescents and youth engaged in violence (e.g. screening and interventions, counselling and therapeutic approaches, programmes for juvenile offenders and foster care interventions)	FHB, NCD, PC (SLCCP, SLCP, SLCS, CCP)	X	X	X	X	X	X	X	X	X
8.4	8.4.1	Strengthen surveillance system and monitoring of accidents, other injuries and violence	FHB, NCD, PC (SLCCP, SLCP, SLCS, CCP)	X	X	X	X	X	X	X	X	X
	8.4.2	Establish a surveillance system for violence	FHB, NCD, PC (SLCCP, SLCP, SLCS, CCP)			X	X	X	X	X	X	X
	8.4.3	Conduct regular monitoring of accidents and violence	FHB, NCD, PC (SLCCP, SLCP, SLCS, CCP)			X	X	X	X	X	X	X



Strategy Direction	Strategic Direction / Strategies / Major activities	Responsibility	Time frame							
			2018	2019	2020	2021	2022	2023	2024	2025
10.1	<p>Enhance service provision for adolescents and youth in humanitarian and fragile settings</p> <p>"Strengthen identification of priority needs and focused interventions for adolescents and youth in humanitarian and fragile settings "</p>	FHB,NCD,NSA CP,ND,NCOD,P DHS,RDHS,PC (SLCCP,SLCP,S LCS, CCP)	X	X	X	X	X	X	X	X
10.2	<p>Ensure deployment of essential health interventions for adolescents and youth in an emergency in humanitarian and fragile settings</p>	FHB,NCD,NSA CP,ND,NCOD,P DHS,RDHS,PC (SLCCP,SLCP,S LCS, CCP)	X	X	X	X	X	X	X	X
10.3	<p>Streamline the provision of health services for adolescent and youth in humanitarian and fragile settings</p>	FHB,PDHS, RDHS,HD	X	X	X	X	X	X	X	X

Strategic Direction / Strategies / Major activities

Responsibility

Time frame

2018

2019

2020

2021

2022

2023

2024

2025



	Strategic Direction / Strategies / Major activities	Responsibility	Time frame								
			2018	2019	2020	2021	2022	2023	2024	2025	
10.3.2	Strengthen community based psychosocial support for marginalized groups of adolescents and youth	FHB,MHU, PDHS,RDHS	X	X	X	X	X	X	X	X	X
10.4	10.4.1 Advocate for promotion of recreational activities and restarting of formal or informal education and career development among marginalized adolescents and youth	FHB,NCD,PD HS,RDHS,PC(S) LCCP,SLCP,SL CS, CCP)	X	X	X	X	X				
10.5	10.5.1 Strengthen capacity building of health care workers on psychological first aid and first line management of mental, neurological and substance-use conditions among adolescents and youth in humanitarian and fragile settings	FHB,MHU, PDHS,RDHS, PC	X	X	X	X	X	X	X	X	X
10.5	10.5.2 "Improve facilities available for psychological first aid and first line management of mental, neurological and substance-use conditions among adolescents and youth in humanitarian and fragile settings.	FHB,MHU, PDHS,RDHS	X	X	X	X	X	X	X	X	X



Strategic Direction	Strategic Direction / Strategies / Major activities	Responsibility	Time frame									
			2018	2019	2020	2021	2022	2023	2024	2025		
12.1	<p>Strengthen research, monitoring and evaluation on adolescents and youth health services</p> <p>12.1.1 Strengthen the information system on adolescent and youth health to provide evidence for planning and monitoring</p> <p>12.1.2 Conduct regular reviews and monitoring at all levels to share best practices and identify the existing gaps</p> <p>12.1.3 Conduct periodic external evaluations of the adolescents and youth health services</p>	FHB	X	X	X	X	X	X	X	X	X	
12.2	<p>12.2.1 Strengthen research and develop an evidence based interventions on adolescents and youth health</p> <p>12.2.2 "Incorporate adolescents and youth health indicators to national health surveys (DHS) "</p>	FHB,PDHS, RDHS	X	X	X	X	X	X	X	X	X	X
		FHB				X						X
		FHB,PDHS, RDHS	X	X	X	X	X	X	X	X	X	X
		FHB				X						X
		FHB,PDHS, RDHS	X	X	X	X	X	X	X	X	X	X
		FHB	X	X	X	X	X	X	X	X	X	X



			Strategic Direction / Strategies / Major activities	Responsibility	Time frame								
					2018	2019	2020	2021	2022	2023	2024	2025	
		12.2.3	Test interventions on parenting and peer group involvement	FHB,PDHS, RDHS	X	X	X	X	X	X	X	X	X





Annex 111

Technical Advisory Committee on Young persons' Health (2016/2017)

Ministry of Health

Dr. Anil Jasinghe	DGHS
Dr. J.M.W. Jayasundara Bandara	DGHS(2016)
Dr. L. Gamalath	DDG/PHS II
Dr. Nethanjalee Mapitigama	Director/MCH/FHB
Dr. Priyane Senadeera	Director/MCH/FHB(2017)
Dr. Sapumal Dhanapala	Director/MCH/FHB(2016)
Dr. Chithramali de Silva,	Director, Mental Health Unit
Dr. R.D.F.C. Kanthi	Director, Health Education Bureau
Dr. V.T.S.K. Siriwardhena	Director, NCD
Dr. Rasanjalee Hettiarachchi,	Director, Nutrition Coordination Division
Dr. Chiranthika Vithana	CCP, AYH Unit, FHB
Dr. Ayesha Lokubalasooriya	CCP, SH Unit, FHB
Dr. Sanjeeva Godakandage	CCP, FP Unit, FHB
Dr. Janaki Vidhanapathirana,	CCP, NSACP
Dr. Asanthi Fernando	CCP, HPB
Dr. Anoma Basnayaka,	CCP, Nutrition Division
Dr. Monika Wijerathne	CCP, PDHS office, Colombo
Dr. Manjula Danansuriya	CCP, Anti Malaria Campaign
Dr. Irosha Nilaweera	CCP, Maternal Care Unit, FHB
Dr. Kaushalya Kasturiaratchi	CCP, M & E Unit, FHB
Dr. Nethmini Thenuwara	CCP, Planning Unit, FHB
Dr. Ruwan de Silva	Consultant VOG, FHB
Dr. P.M.G. Gunasekara	AMOH, Maharagama

Other Ministries

Mrs. Ashoka Alawatte	Additional Secretary, Ministry of Social Empowerment and Welfare
Mr. Dinesha Vidanagamachchi	Ministry of National Policies and Economic Affairs
Mr. Wasantha Karunarathna	A/Director, National Youth Service Council



Mr. M.Ramamoorthy

Director/MSE & W, Ministry of Social Empowerment and Welfare

Mr. I.U. Wickramasooriya

Assistant Director, Nipunatha Piyasa,

Professional Colleges

Dr. S.G.De Silva

Ceylon College of physicians

Dr. H.Herath

Sri Lanka College of Consultant Community Physicians

Dr. Ruwanthi Perera

Sri Lanka College of Paediatricians

Dr. Ramya Pathiraja

Sri Lanka College of Obstetrician and Gynaecologist

UN agencies

Dr. N. Hemachandra

National Professional Officer (RMNCAH & Nutrition), WHO

Mr. Jayan

UNFPA

NGOs & Other Organizations

Dr. Vinya Ariyaratne

General Secretary Lanka Jathika Sarvodaya Shramadana Sangamaya

Dr. Harischandra Yakandawla,

Medical Director, FPA

Mr. Sampath D. Saram

Director Human Development and Administration, ADIC Sri Lanka

Youth Representatives

Ms. Sasindu Shamalka

Youth Parliament

Mr. A. D. Jayapadma

Youth Parliament

Mr. Sameera Prasad

Youth





